

Constancea 84, 2006

University and Jepson Herbaria
California Lichen Catalog

REVISED CATALOG OF LICHENS, LICHENICOLES, AND ALLIED FUNGI IN CALIFORNIA

Shirley C. Tucker
and
Bruce D. Ryan

REFERENCES

-
- ACHARIUS, E. 1810.
Lichenographia Universalis. Dankwerts, Göttingen.
- ACHARIUS, E. 1814.
Synopsis methodica lichenum, sistens omnes hujus ordinis naturatis detectas plantas, quas, secundum genera, species et varietates disposuit, characteribus et differentiis emendatis definivit, nec non synonymis et observationibus selectis illustravit auctor. Lund. 392 pp.
- ADLER, M. T., & T. AHTI. 1996.
The distinction of *Punctelia perreticulata* and *P. subrudecta* (Parmeliaceae; Lecanorales).
Lichenologist 28: 431–436.
- AHTI, T. 1966.
Parmelia olivacea and the allied non-isidiate and non-soresiate corticolous lichens in the northern hemisphere. Acta Botanica Fennica 70: 1–68.
- AHTI, T. 1969.
Notes on brown species of *Parmelia* in North America. The Bryologist 72: 233–239.
- AHTI, T. 1980a.
Nomenclatural notes on *Cladonia* species. Lichenologist 12: 125–133.
- AHTI, T. 1980b.
Taxonomic revision of *Cladonia gracilis* and its allies. Annales Botanici Fennici 17: 195–243.
- AHTI, T. 1984.
The status of *Cladina* as a genus segregated from *Cladonia*, in H. Hertel & F. Oberwinkler (eds.), Beiträge zur Lichenologie. Festschrift J. Poelt. Beihefte zur Nova Hedwigia 79: 25–61.
- AHTI, T. 2000.
Cladoniaceae. 1. Flora Neotropica 78. New York Botanical Garden, Bronx.
- AHTI, T., & P. T. DE PRIEST. 2001.
New combinations of *Cladina* epithets in *Cladonia* (Ascomycotina: Cladoniaceae). Mycotaxon 78: 499–502.
- AHTI, T., & S. HAMMER. 2002.
Cladonia, pp. 131–158, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- AHTI, T., & A. HENSSEN. 1965.
New localities for *Cavernularia hultenii* in eastern and western North America. The Bryologist 68:

- 85–89.
- ALSTRUP, V., & M. S. COLE. 1998.
Lichenicolous fungi of British Columbia. *The Bryologist* 101: 221–229.
- ANDERSON, R. A. 1962.
The lichen flora of the Dakota sandstone in north-central Colorado. *The Bryologist* 65: 242–261.
- ANDERSON, R. A. 1964.
The genus *Lecidea* (lichenized fungi) in Rocky Mountain National Park, Colorado. Ph. D. dissertation, University of Colorado, Boulder.
- ANDERSON, R. A. 1965.
Additions to the lichen flora of North America, I. *The Bryologist* 68: 54–63.
- ANDERSON, R. A., & M.-B. CARMER. 1974.
Additions to the lichen flora of Colorado. *The Bryologist* 77: 216–223.
- ANONYMOUS. 2002.
New or interesting collections of lichens in California. *Bulletin of the California Lichen Society* 9(2): 25–26.
- APTROOT, A. 1997.
Corticolous pyrenocarpous Ascomycetes (lichenized and unlichenized) from the Sonoran Desert (Arizona and Mexico). *Nova Hedwigia* 64: 169–176.
- APTROOT, A. 2002.
Acrocordia, p. 89; *Distenopyrenis*, pp. 180–181; *Julella*, pp. 254–256; *Kirschsteiniothelia*, pp. 257–258; *Porina*, pp. 402–405; *Pseudopyrenula*, p. 417; *Pyrenula*, pp. 435–437; *Tomasellia*, pp. 487–488, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- APTROOT, A. 2003.
A new perspective on the sorediate *Punctelia* (Parmeliaceae) species of North America. *The Bryologist* 106: 317–319.
- APTROOT, A., & P. P. G. VAN DEN BOOM. 1995.
Strigula lateralis sp. nov. with notes on the genus *Julella* (Ascomycetes). *Mycotaxon* 56: 1–8.
- ARAGON, G., I. MARTINEZ, & M. A. G. OTALORA. 2004.
The lichen *Leptogium subaridum*, a new Mediterranean-NW American disjunction. *Lichenologist* 36: 163–165.
- ARCHER, A. W., & M. I. MESSUTI. 1997.
Pertusaria velata (Turner) Nyl. and its synonyms. *Mycotaxon* 61: 375–379.
- ARGUS, G. W., & J. W. SHEARD. 1972.
Two simple labeling and data retrieval systems for herbaria. *Canadian Journal of Botany* 50: 2197–2209.
- ARUP, U. 1992a.
Caloplaca marina and *C. rosei*, two difficult species in North America. *The Bryologist* 95: 148–160.
- ARUP, U. 1992b.
Caloplaca stantonii sp. nov. and its relationship to *Caloplaca bolacina* and other lobate to squamulose species in North America. *The Bryologist* 95: 449–457.
- ARUP, U. 1993a.
Caloplaca luteominia and *C. bolanderi* in western North America. *The Bryologist* 96: 463–470.
- ARUP, U. 1993b.
Caloplaca flavogranulosa sp. nov. and *C. citrina*, two sorediate species on seashore rocks in western North America. *The Bryologist* 96: 598–603.
- ARUP, U. 1994.

- The genus *Caloplaca* on seashore rocks in eastern North America. *The Bryologist* 97: 377–392.
ARUP, U. 1995a.
- Eight species of *Caloplaca* in coastal western North America. *The Bryologist* 98: 92–111.
ARUP, U. 1995b.
- Littoral species of *Caloplaca* in North America: a summary and key. *The Bryologist* 98: 129–140.
ARUP, U., & M. GRUBE. 1999.
- Where does *Lecanora demissa* (Ascomycota, Lecanorales) belong? *Lichenologist* 31: 419–430.
BALTZO, D. E. 1970.
- A study of the lichens of Mount Diablo State Park. M. A. thesis, San Francisco State College, San Francisco.
BALTZO, D. E. 1989.
- Lichens of Mount Diablo State Park, Contra Costa County, California. *Mycotaxon* 34: 37–46.
BALTZO, D. E. 2002 (2001).
- San Francisco Watershed lichens — a more comprehensive list. *Bulletin of the California Lichen Society* 8: 44–56.
BALTZO, D. E. 2004.
- Scoliciosporum sarothamni* (Vain.) Vezda, new to California. *Bulletin of the California Lichen Society* 11(1): 7–9.
BARR, M. E. 1985.
- On *Julella*, *Delacourea*, and *Decaisnella*, three dictyosporous genera described by J. H. Fabre. *Sydowia* 38: 11–19.
BARR, M. E. 1990.
- Some dictyosporous genera and species of Pleosporales in North America. *Memoirs of the New York Botanical Garden* 62: 1–92.
- BERRY, E. C. 1941.
- A monograph of the genus *Parmelia* in North America, north of Mexico. *Annals of the Missouri Botanical Garden* 28: 31–146.
- BLANKINSHIP, J. W., & C. A. KEELER. 1892.
- On the natural history of the Farallon Islands. *Zoe* 3: 144–165. (Geology and botany by Blankinship; zoology by Keeler)
- BLAUMAN, S. 2004.
- CALS field trip to Sherwood Road, Mendocino County, April 17, 2004. *Bulletin of the California Lichen Society* 11(1): 24–26.
- BOLANDER, H. N. 1870.
- A catalogue of the plants growing in the vicinity of San Francisco. San Francisco.
- BONAR, L. 1971.
- A new *Mycocalicium* on scarred Sequoia in California. *Madroño* 21: 62–69.
- BOURELL, M. 2000.
- Lichens collected at San Simeon State Park and Hearst Castle. *Bulletin of the California Lichen Society* 7: 20–22.
- BOWLER, P. A. 1972.
- The distribution of four chemical races of *Cladonia chlorophaea* in North America. *The Bryologist* 75: 350–354.
- BOWLER, P. A., & J. E. MARSH. 2004.
- Niebla*, pp. 368–380, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

- BOWLER, P. A., & R. E. RIEFNER JR. 1990.
A preliminary lichen checklist for the University of California, Irvine, campus and the San Joaquin wetlands. *Crossosoma* 16(6): 1–10.
- BOWLER, P. A., & R. E. RIEFNER JR. 1995.
Notes on the Ramalinaceae and current related research in California, U. S. A. *Bulletin of the California Lichen Society* 2(1): 1–5.
- BOWLER, P. A., R. E. RIEFNER, P. W. RUNDEL, J. MARSH, & T. H. NASH III. 1994.
New species of *Niebla* (Ramalinaceae) from western North America. *Phytologia* 77: 23–37.
- BOWLER, P. A., & P. W. RUNDEL. 1973.
The status of *Ramalina subampliata* (Nyl.) Fink in North America. *Rhodora* 75: 306–310.
- BOWLER, P. A., & P. W. RUNDEL. 1974.
The *Ramalina intermedia* complex in North America. *The Bryologist* 77: 617–623.
- BOWLER, P. A., & P. W. RUNDEL. 1977.
Synopsis of a new lichen genus, *Fistulariella* Bowler & Rundel (Ramalinaceae). *Mycotaxon* 6: 195–202.
- BOWLER, P. A., & P. W. RUNDEL. 1978.
The *Ramalina farinacea* complex in North America: chemical, ecological and morphological variation. *The Bryologist* 81: 386–403.
- BOWLER, P. A., W. A. WEBER, & R. E. RIEFNER JR. 1996.
A checklist of the lichens of San Clemente Island, California. *Bulletin of the California Lichen Society* 3(2): 1–8.
- BRATT, C. C. 1984.
Diploicia canescens (Dicks.) Mass. new to North America. *The Bryologist* 87: 160–161.
- BRATT, C. C. 1986.
Noteworthy collections. California (lichens). *Madroño* 33: 227.
- BRATT, C. C. 1987.
Point Loma lichens — now and then, pp. 289–293, in T. S. Elias (ed.), *Conservation and management of rare and endangered plants*. California Native Plant Society, Sacramento.
- BRATT, C. C. 1993.
The lichen flora of Santa Barbara Island, California, pp. 59–63, in F. G. Hochberg (ed.), *Third California Islands Symposium: recent advances in research on the California Islands*. Santa Barbara Museum of Natural History, Santa Barbara. 661 pp.
- BRATT, C. C. 1997.
Lichens of Cabrillo National Monument, Point Loma, San Diego. *Bulletin of the California Lichen Society* 4: 1–3.
- BRATT, C. C. 1999.
Additions to the lichen flora of San Clemente Island, California. *Bulletin of the California Lichen Society* 6: 19–21.
- BRATT, C. C. 2002.
Texosporium sancti-jacobi (Tuck.) Nád. in California. *Bulletin of the California Lichen Society* 9(2): 8.
- BRATT, C. 2003.
An exciting find. *Bulletin of the California Lichen Society* 10: 9–10.
- BRATT, C., & D. WRIGHT. 1995.
Toninia in California. *Bulletin of the California Lichen Society* 2(1): 5–7.
- BREUSS, O. 1990.
Die Flechtengattung *Catapyrenium* (Verrucariaceae) in Europa. *Stapfia* 23: 1–153.

- BREUSS, O. 1996.
Eine verfeinertes Gliederungskonzept für *Catapyrenium* (lichenisierte Ascomyceten, Verrucariaceae) mit einem Schlüssel für die bisher bekannten Arten. *Annalen des Naturhistorischen Museums in Wien* 98B, Suppl.: 35–50.
- BREUSS, O. 1998.
On the taxonomy of “*Catapyrenium*” *plumbeum* (lichenized Ascomycetes, Verrucariaceae). *Annalen des Naturhistorischen Museums in Wien* 100B: 671–676.
- BREUSS, O. 2000.
New taxa of pyrenocarpous lichens from the Sonoran region. *The Bryologist* 103: 705–709.
- BREUSS, O. 2002.
Catapyrenium, pp. 125–128; *Clavascidium*, pp. 158–159; *Endocarpon*, pp. 181–187; *Placidiopsis*, pp. 383–384; *Placidium*, pp. 393–394; *Placopyrenium*, pp. 394–397; *Thrombium*, pp. 483–484, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- BREUSS, O., & C. BRATT. 2001 (2000).
Catapyrenioid lichens in California. *Bulletin of the California Lichen Society* 7: 36–43.
- BREUSS, O., & B. McCUNE. 1994.
Additions to the pyrenolichen flora of North America. *The Bryologist* 97: 365–370.
- BRODO, I. M. 1984.
The North American species of the *Lecanora subfusca* group, in H. Hertel & F. Oberwinkler (eds.), *Beiträge zur Lichenologie. Festschrift J. Poelt. Beihefte zur Nova Hedwigia* 79: 63–185.
- BRODO, I. M. 1986.
A new species of the lichen genus *Sulcaria* (Ascomycotina, Alectoriaceae) from California. *Mycotaxon* 27: 113–117.
- BRODO, I. M. 1991.
Studies in the lichen genus *Ochrolechia*. 2. Corticolous species of North America. *Canadian Journal of Botany* 69: 733–772.
- BRODO, I. M., & T. AHTI. 1996.
Lichens and lichenicolous fungi of the Queen Charlotte Islands, British Columbia, Canada: 2. The Cladoniaceae. *Canadian Journal of Botany* 74: 1147–1180.
- BRODO, I. M., & D. L. HAWKSWORTH. 1977.
Alectoria and allied genera in North America. *Opera Botanica* 42: 1–164.
- BRODO, I. M., & A. HENSSEN. 1995.
A new isidiate crustose lichen in northwestern North America, in E. E. Farkas, R. Lücking, & V. Wirth (eds.), *Scripta Lichenologica — Lichenological papers dedicated to Antonín Vezda*. *Bibliotheca Lichenologica* 58: 27–41. J. Cramer, Berlin, Stuttgart.
- BRODO, I. M., S. D. SHARNOFF, & S. SHARNOFF. 2001.
Lichens of North America. Yale University Press, New Haven.
- BRODO, I. M., & O. VITIKAINEN. 1984.
The typification of *Lecanora subfusca* (L.) Ach., its varieties and some of its related taxa published before 1850. *Mycotaxon* 21: 281–298.
- BÜDEL, B., & T. H. NASH III. 2002.
Peltula, pp. 331–340, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- BÜDEL, B., M. SCHULTZ, & T. H. NASH III. 2002.
Heppia. pp. 204–207, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.

BUNGARTZ, F. 2004.

New and previously unrecorded saxicolous species of *Buellia* s. l. with one-septate ascospores from the greater Sonoran Desert region. *Mycotaxon* 90: 81–123.

BUNGARTZ, F., J. A. ELIX, & T. H. NASH III. 2005 (2004).

The genus *Buellia* sensu lato in the greater Sonoran Desert region: saxicolous species with one-septate ascospores containing xanthenes. *The Bryologist* 107: 459–479.

BUNGARTZ, F., & T. H. NASH III. 2004.

Buellia turgescens is synonymous with *Buellia badia* and must not be included in *Amandinea*. *The Bryologist* 107: 1–20.

BUNGARTZ, F., & T. H. NASH III. 2005a (2004).

Buellia subalbula (Nyl.) Müll. Arg. and *B. amabili* de Lesd., two species from North America with one-septate ascospores: a comparison with *Buellia* [*Diplotomma*] *venusta* (Körb.) Lettau, in P. Döbbeler & G. Rambold (eds.), *Contributions to lichenology. Festschrift in honour of Hannes Hertel. Bibliotheca Lichenologica* 88: 49–66. J. Cramer, Gebrüder Borntraeger, Berlin, Stuttgart.

BUNGARTZ, F., & T. H. NASH III. 2005b (2004).

The *Buellia aethalea* group in the greater Sonoran Desert region with reference to similar species in North America. *The Bryologist* 107: 441–458.

BUNGARTZ, F., T. H. NASH III, & B. D. RYAN. 2004.

Morphology and anatomy of chasmolithic growth: a taxonomic revision of inconspicuous saxicolous *Buellia* species generally ascribed to the *B. punctata* group from the Sonoran Desert region. *Canadian Journal of Botany* 82: 540–562.

BUNGARTZ, F., C. SCHEIDEGGER, & T. H. NASH III. 2002.

Buellia dispersa A. Massal., a variable lichen species from semi-arid to arid environments of North America and Europe, in X. Llimona, H. T. Lumbsch, & S. Ott (eds.), *Progress and problems in lichenology at the turn of the millenium. Bibliotheca Lichenologica* 82: 19–35. J. Cramer, Berlin, Stuttgart.

CÁCERES, M. E. S., & D. TRIEBEL. 2004.

Sphaerellothecium, pp. 696–699, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.*

CALATAYUD, V. 2004.

Polycoccum, pp. 684–686, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.*

CALATAYUD, V., J. HAFELLNER, & P. NAVARRO-ROSINÉS. 2004.

Lichenostigma, pp. 664–669, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.*

CARLBERG, T. 2002.

Leptogium cyanescens, new to California. *Bulletin of the California Lichen Society* 9(2): 6–7.

CARLBERG, T. 2003.

Pacific Northwest lichens in northern California. *Bulletin of the California Lichen Society* 10: 7–8.

CHAMBERLAIN, E. B. 1919.

Mr. Moxley finds new lichens for southern California. *The Bryologist* 22: 29.

CLAUZADE, P., & C. ROUX. 1985 (1986).

Likenoj det Okcidenta Europo. Illistrato determin libro. *Bulletin de la Société Botanique Centre-Ouest, Nouveaux Series, num. Spec. 7: 1–893.*

- CLAUZADE, P., C. ROUX, & R. RIEUX. 1981.
Les *Acarospora* de l'Europa occidentale et de la region mediterraneenne. Bulletin du Musée d'Histoire Naturelle de Marseille 41: 41–93.
- CLERC, P. 1991.
Usnea madeirensis Motyka (Ascomycete lichénisé: une espèce méconnue de l'Europe et du Amérique du Nord. Candollea 46: 427–438.
- CLERC, P. 1997.
Notes on the genus *Usnea* Dill. ex Adanson. Lichenologist 29: 209–215.
- CLERC, P. 2004.
Notes on the genus *Usnea* Adanson. II, in P. Döbberler & G. Rambold (eds.), Contributions to lichenology. Festschrift in honour of Hannes Hertel. Bibliotheca Lichenologica 88: 79–98. J. Cramer, Gebrüder Borntraeger, Berlin, Stuttgart.
- CLERC, P., & P. DIEDERICH. 1991.
Usnea wirthii Clerc new to North America and the British Isles. Lichenologist 23: 405–407.
- CLERC, P., & M. A. HERRERA-CAMPOS. 1997.
Saxicolous species of *Usnea* subgenus *Usnea* (lichenized Ascomycetes) in North America. The Bryologist 100: 281–301.
- COLE, M. S., & D. L. HAWKSWORTH. 2001.
Lichenicolous fungi, mainly from the USA, including *Patriciomyces* gen. nov. Mycotaxon 77: 305–338.
- COLE, M. S., & D. L. HAWKSWORTH. 2004.
Lichenonium christiansenii sp. nov. from *Nodobryoria abbreviata* (Parmeliaceae) in the Pacific Northwest, with a key to the known lichenicolous species. Lichenologist 36: 1–6.
- COMMON, R. S., & I. M. BRODO. 1995.
Bryoria sect. *Subdivergentes* recognized as the new genus *Nodobryoria* (lichenized Ascomycotina). The Bryologist 98: 189–206.
- COPPINS, B. J. 1988.
Notes on the genus *Arthopyrenia* in the British Isles. Lichenologist 20: 305–325.
- COPPINS, B. J., & T. TØNSBERG. 2001.
A new xanthone-containing *Micarea* from northwest Europe and the Pacific Northwest of North America. Lichenologist 33: 93–96.
- CULBERSON, C. F. 1972.
Additions to the phytochemistry of the lichen genus *Lecanactis*. The Bryologist 75: 43–47.
- CULBERSON, C. F., & H. HERTEL. 1972.
2'O-Methylanziac acid, a new depside in *Lecidea diducens* and *Lecidea speirodes*. The Bryologist 75: 372–376.
- CULBERSON, W. L. 1955.
Notes on the *Parmelia caperata* group in Wisconsin. The Bryologist 58: 40–45.
- CULBERSON, W. L. 1962.
Some pseudocyphellate Parmeliae. Nova Hedwigia 4: 563–577.
- CULBERSON, W. L. 1973.
The *Parmelia perforata* group: niche characteristics of chemical races, speciation by parallel evolution, and a new taxonomy. The Bryologist 76: 20–29.
- CULBERSON, W. L., & C. F. CULBERSON. 1956.
The systematics of the *Parmelia dubia* group in North America. American Journal of Botany 43: 678–687.
- CULBERSON, W. L., & C. F. CULBERSON. 1968.

- The lichen genera *Cetrelia* and *Platismatia* (Parmeliaceae). Contributions from the United States National Herbarium 34: 449–558.
- CULBERSON, W. L., & C. F. CULBERSON. 1973.
Parallel evolution in lichen-forming fungi. Science 180: 196–198.
- CURTIS, A. B. 2003.
Horse Rock Ridge Natural Area Guidebook Supplement 27. General Technical Report PNW-GTR-571. United States Department of Agriculture, Forest Service, Pacific Northwest Research Station.
- DARBISHIRE, O. 1895.
Dendrographa, eine neue Flechtengattung. Berichte der Deutschen Botanischen Gesellschaft 13: 313–326.
- DARBISHIRE, O. 1898.
Monographia Roccelleorum. Bibliotheca Botanica 45(2): 1–103. Stuttgart.
- DARBISHIRE, O. 1935.
The Templeton Crocker Expedition of the California Academy of Sciences, 1932. The Roccellaceae. California Academy of Sciences, Proceedings, Series 4, 21: 285–291.
- DEGELIUS, G. 1954.
The lichen genus *Collema* in Europe: morphology, taxonomy, ecology. Symbolae Botanicae Upsalienses 13(2): 1–499.
- DEGELIUS, G. 1974.
The lichen genus *Collema* with special reference to extra-European species. Symbolae Botanicae Upsalienses 20(2): 1–215.
- DE LESDAIN, M. BOULY. 1930.
Notes lichenologiques. XXIV. Bulletin de la Société Botanique de France 77: 612–615.
- DIBBEN, M. J. 1980.
The chemosystematics of the lichen genus *Pertusaria* in North America north of Mexico. Publications in Biology and Geology No. 5, Milwaukee Public Museum, Milwaukee.
- DICKHÄUSER, A., H. T. LUMBSCH, & G. B. FEIGE. 1995.
A synopsis of the *Lecanora subcarnea* group. Mycotaxon 56: 303–323.
- DIEDERICH, P. 1996.
The lichenicolous Heterobasidiomycetes. Bibliotheca Lichenologica 61: 1–198.
- DIEDERICH, P. 2003.
New species and new records of American lichenicolous fungi. Herzogia 16: 41–90.
- DIEDERICH, P. 2004.
Abrothallus, pp. 626–630; *Cystobasidium*, pp. 644–645; *Lichenocodium* pp. 659–661; *Lichenodiplis*, pp. 661–663; *Minutoexcipula*, pp. 672–673; *Phaeosporobolus*, pp. 681–682; *Phoma*, pp. 682–683; *Syzygospora*, p. 707; *Taeniolella*, p. 708; *Tremella*, pp. 710–714; *Vouauxiella*, p. 714, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- DIEDERICH, P., & J. ETAYO. 2000.
A synopsis of the genera *Skyttea*, *Llimoniella*, and *Rhymbocarpus* (lichenicolous Ascomycota, Leotiales). Lichenologist 32: 423–485.
- DIEDERICH, P., & J. ETAYO. 2004.
Rhymbocarpus, p. 686–687; *Skyttea*, p. 693–695, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- DOELL, J. 1994.
Sonoma/Mendocino County field trip. Bulletin of the California Lichen Society 1(2): 2–3.

DOELL, J. 1997.

Usnea longissima Ach. in San Mateo County. Bulletin of the California Lichen Society 4: 6–7.

DOELL, J. 2002.

Brooks Island field trip of May 12, 2002. Bulletin of the California Lichen Society 9(2): 11–13.

DOELL, J., S. TUCKER, & J. ROBERTSON. 1999.

Lichens of the Sweeney Granite Mountains Desert Research Center and environs. Bulletin of the California Lichen Society 6: 8–12.

DOELL, J., & D. WRIGHT. 1996.

Macrolichens of Jasper Ridge Biological Preserve, San Mateo County, California. Bulletin of the California Lichen Society 3(1): 1–8.

DOELL, J., & D. WRIGHT. 2000.

Usnea longissima in California. Bulletin of the California Lichen Society 7: 17–19.

DU RIETZ, G. E. 1925.

Flechtensystematische Studien V, VI. Botaniska Notiser 1925: 1–76, 362–372.

DU RIETZ, G. E. 1926.

Vorarbeiten zu einer “Synopsis Lichenum.” 1. Die Gattung *Alectoria*, *Oropogon*, and *Cornicularia*. Arkiv för Botanik 20:A (11): 1–43.

ECKFELDT, J. W. 1893.

List of lichens from California and Mexico collected by Dr. Edward Palmer from 1888–1892. Contributions from the United States National Herbarium 1: 291–292.

EGAN, R. 1977.

New and additional lichen records from Texas II. The Bryologist 80: 136–142.

EGAN, R. 1989.

Changes to the “Fifth checklist of lichen-forming, lichenicolous and allied fungi of the continental United States and Canada.” Edition I. The Bryologist 92: 68–72.

EGAN, R. 1991.

Changes to the “Fifth checklist of the lichen-forming, lichenicolous and allied fungi of the continental United States and Canada.” Edition III. The Bryologist 94: 396–400.

EGAN, R. S. 2004.

Flavopunctelia, pp. 111–114, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

EGAN, R. S., & A. APTROOT. 2004.

Punctelia, pp. 431–436, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

EGEA, J. M., & P. TORRENTE. 1993a.

The lichen genus *Bactrospora*. Lichenologist 25: 211–255.

EGEA, J. M., & P. TORRENTE. 1993b.

Cresponea, a new genus of lichenized fungi in the order Arthoniales (Ascomycotina). Mycotaxon 48: 301–331.

EGEA, J. M., & P. TORRENTE. 1994.

El Género de Hongos Liqueñizados *Lecanactis* (Ascomycotina). Bibliotheca Lichenologica 54: 1–205.

EGEA, J. M., & P. TORRENTE. 1995a.

The lichen genus *Sclerophyton* in the Sonoran Desert. The Bryologist 98: 207–217.

EGEA, J. M., & P. TORRENTE. 1995b.

- Especies saxícolas del género *Arthonia* (Arthoniaceae) en áreas costeras de California y Baja California (Estados Unidos y México). Pp. 193–204, in F. J. A. Daniels, M. Schultz, & J. Peine (eds.), *Flechten Follmann. Contributions to lichenology in honour of G. Follmann*. Universität Köln, Cologne.
- EGEA, J. M., & P. TORRENTE. 1997.
Graphis saxorum (lichenized Ascomycotina, Graphidaceae), a new species from California and Baja California. *The Bryologist* 100: 207–209.
- EGEA, J. M., & P. TORRENTE. 2002.
Sclerophyton, pp. 458–461, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- EGEA, J. M., P. TORRENTE, & B. D. RYAN. 2004.
Bactrospora, pp. 32–37; *Cresponea*, pp. 81–82; *Lecanographa*, pp. 171–176, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- EKMAN, S. 1996.
The corticolous and lignicolous species of *Bacidia* and *Bacidina* in North America. *Opera Botanica* 127: 1–148.
- EKMAN, S. 2004.
Bacidia, pp. 18–28; *Bacidina*, pp. 28–32; *Cliostomum*, pp. 64–65; *Myxobilimbia*, pp. 367–368, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- EKMAN, S., & T. TØNSBERG. 1996.
A new species of *Megalaria* from the North American west coast, and notes on the generic circumscription. *The Bryologist* 99: 34–40.
- EKMAN, S., & T. TØNSBERG. 2002.
Most species of *Lepraria* and *Lepruloma* form a monophyletic group closely related to *Stereocaulon*. *Mycological Research* 106(11): 1262–1276.
- EKMAN, S., & T. TØNSBERG. 2004.
Scoliciosporum, pp. 504–505, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- ERTZ, D., P. DIEDERICH, & J. MIADLIKOWSKA. 2004.
The lichenicolous *Opegrapha* species (Roccellaceae, Ascomycota) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. *Botanical Journal of the Linnean Society* 144: 235–241.
- ESSLINGER, T. L. 1973a.
Nomenclatural notes on some members of *Parmelia* section *Melanoparmelia*. *The Bryologist* 76: 306–309.
- ESSLINGER, T. L. 1973b.
Chemical and taxonomic studies of some corticolous members of the lichen genus *Cetraria* in western North America. *Mycologia* 65: 602–613.
- ESSLINGER, T. L. 1977a.
A chemosystematic revision of the brown Parmeliae. *Journal of the Hattori Botanical Laboratory* 42: 1–211.
- ESSLINGER, T. L. 1977b.
Studies in the lichen family Physciaceae. I. A new North American species. *Mycotaxon* 5: 299–306.
- ESSLINGER, T. L. 1978.
The genus *Phaeophyscia* in North America. *Mycotaxon* 7: 283–320.

- ESSLINGER, T. L. 1986.
Studies in the lichen family Physciaceae. VII. The new genus *Physciella*. *Mycologia* 78: 92–97.
- ESSLINGER, T. L. 1989.
Some *Phaeophyscia* combinations revisited (Lichenes). *Taxon* 38: 264–265.
- ESSLINGER, T. L. 1994.
New species and new combinations in the lichen genus *Physconia* in North America. *Mycotaxon* 51: 91–100.
- ESSLINGER, T. L. 2000.
A key for the lichen genus *Physconia* in California, with descriptions for three new species occurring within the state. *Bulletin of the California Lichen Society* 7: 1–6.
- ESSLINGER, T. L. 2002.
Melanelia, pp. 274–286; *Neofuscelia*, pp. 289–295; *Physconia*, pp. 373–383, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- ESSLINGER, T. L. 2003.
Tuckermanella, a new cetrarioid genus in western North America. *Mycotaxon* 85: 135–141.
- ESSLINGER, T. 2004a.
Phaeophyscia, pp. 403–414; *Physciella*, pp. 416–418; *Tuckermannopsis*, pp. 546–548, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- ESSLINGER, T. L. 2004b.
A cumulative checklist for the lichen-forming, lichenicolous, and allied fungi of the continental United States and Canada. North Dakota State University, <http://www.ndsu.nodak.edu/instruct/esslinge/chcklst/chcklst7.htm> (first posted 1 December 1997, most recent update Version #9, Mar. 2, 2004), Fargo.
- ESSLINGER, T. L., & C. C. BRATT. 1998.
The *Heterodermia erinacea* group in North America, and a remarkable new disjunct distribution. Pp. 25–36, in M. G. Glenn, R. C. Harris, R. Dirig, & M. S. Cole (eds.), *Lichenographia Thomsoniana; North American lichenology in honor of John W. Thomson*. Mycotaxon Ltd., Ithaca.
- ESSLINGER, T. L., & R. S. EGAN. 1995.
A sixth checklist of the lichen-forming, lichenicolous, and allied fungi of the continental United States and Canada. *The Bryologist* 98: 467–549.
- ETAYO, J., & O. BREUSS. 1998.
New species and interesting records of lichenicolous fungi. *Oesterreichische Zeitschrift für Pilzkunde* 7: 203–213.
- EVANS, A. W. 1927.
Notes on Connecticut lichens. *Rhodora* 29: 97–105.
- EVANS, A. W. 1951.
On *Cladonia transcendens* Vain. *The Bryologist* 54: 224–230.
- FEUERER, T. 1991.
Revision der europäischen Arten der Flechtengattung *Rhizocarpon* mit nichtgelbem Lager und vielzelligen Sporen. *Bibliotheca Lichenologica* 39: 1–218.
- FEUERER, T., & E. TIMDAL. 2004.
Rhizocarpon, pp. 456–466, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- FINK, B. 1904a.

- Further notes on Cladonias. *Cladonia fimbriata*. The Bryologist 7: 21–27.
 FINK, B. 1904b.
- Further notes on Cladonias. III. *Cladonia furcata* and *Cladonia crispata*. The Bryologist 7: 53–58.
 FINK, B. 1904c.
- Further notes on Cladonias. IV. *Cladonia verticillata*. The Bryologist 7: 85–88.
 FINK, B. 1905.
- Further notes on Cladonias. V. The Bryologist 8: 37–41.
 FINK, B. 1906.
- Further notes on Cladonias. VI. *Cladonia cariosa*. The Bryologist 9: 21–24.
 FINK, B. 1907.
- Further notes on Cladonias. XI. *Cladonia pyxidata*. The Bryologist 10: 57–60.
 FINK, B. 1908.
- Further notes on Cladonias. XIV. *Cladonia digitata*, *Cladonia deformis*, *Cladonia bellidiflora*. The Bryologist 11: 21–24.
 FINK, B. 1935.
- The lichen flora of the United States. Ann Arbor.
 FOLLMANN, G. 1979.
- Vorarbeiten zu einer Monographie der Flechtenfamilie Roccellaceae Chev. III. Zur Identität von *Reinkella californica* Räs. und *Reinkella subcrustacea* Räs. Nova Hedwigia 31: 285–292.
 FRIES, T. H. 1875.
- Schizopelte*, novum lichenum genus. Flora 58: 143–144.
 FRÖDÉN, P., & P. LASSEN. 2004.
- Typification and emendation of *Seirophora* Poelt to include species segregated from *Teloschistes* Norman. Lichenologist 36: 289–298.
 FRÖDÉN, P., B. D. RYAN, & I. KÄRNEFELT. 2004.
- Teloschistes*, pp. 524–529, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- FRYDAY, A. M., & B. J. COPPINS. 2004.
- A reassessment of the genera *Chromatochlamys* and *Thelenella*, and a new species of *Strigula* from the British Isles. Lichenologist 36: 89–95.
- GALLOWAY, D. J., & M. A. THOMAS 2004.
- Sticta*, pp. 513–524, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- GEISER, L. H., D. A. GLAVICH, A. G. MIKULIN, A. R. INGERSOLL, & M. HUTTEN. 2004.
- New records of rare and unusual coastal lichens from the U. S. Pacific Northwest. Evansia 21: 104–110.
- GELTING, P. 1954.
- The *Rhizocarpon* species with peltate areoles occurring in Europe and North America. Svensk Botanisk Tidskrift 51: 71–92.
- GIRALT, M., M. BARBERO, & J. ELIX. 2000.
- Notes on some corticolous and lignicolous *Buellia* species from the Iberian peninsula. Lichenologist 32: 105–108.
- GIRALT, M., & A. GÓMEZ-BOLEA. 1991.
- Lecanora strobilinoides*, a new lichen species from north-eastern Spain. Lichenologist 23: 107–112.
- GIRALT, M., & H. MAYRHOFER. 1995.

- Some corticolous and lignicolous species of the genus *Rinodina* (lichenized Ascomycetes, Physciaceae) lacking secondary compounds and vegetative propagules in southern Europe and adjacent regions, in J.-G. Knoph, K. Schrüfer, & H. J. M. Sipman (eds.), Studies in lichenology with emphasis on chemotaxonomy, geography and phytochemistry. Festschrift Ch. Leuckert. Bibliotheca Lichenologica 57: 127–160. J. Cramer, Berlin, Stuttgart.
- GIRALT, M., H. MAYRHOFER, & J. W. SHEARD. 1995.
The corticolous and lignicolous sorediate, blastidiate and isidiate species of the genus *Rinodina* in southern Europe. Lichenologist 27: 3–24.
- GIRALT, M., & A. NORDIN. 2002.
Buellia triseptata in the Iberian Peninsula. Lichenologist 34: 89–94.
- GIRALT, M., REDHEAD, S. A., F. LUTZONI, J.-M. MONCALVO, & R. VILGALYS. 2002.
Phylogeny of Agarics: partial systematics solutions for core omphalinoid genera in the Agaricales (Euagarics). Mycotaxon 83: 19–57.
- GLAVICH, D. A. 2003.
The distribution, ecology, and taxonomy of *Bryoria spiralifera* and *B. pseudocapillaris* on the Samoa Peninsula, Humboldt Co., coastal northern California. The Bryologist 106: 588–595.
- GLAVICH, D. A., & L. H. GEISER. 2004.
Dermatocarpon meiophyllizum Vainio in the U. S. Pacific Northwest. Evansia 21: 137–140.
- GOFFINET, B., & R. I. HASTINGS. 1994.
The lichen genus *Peltigera* (L.) Willd. in Alberta. Provincial Museum of Alberta National History, Occasional Paper 21: 1–54.
- GOWAN, S. P. 1989.
The lichen genus *Porpidia* (Porpidiaceae) in North America. The Bryologist 92: 25–59.
- GOWAN, S. P. 1990.
Cliostomum (lichen-forming Ascomycotina) in North America and Europe. Mycologia 82: 766–771.
- GOWAN, S. P., & T. AHTI. 1993.
Status of the lichen genus *Porpidia* in eastern Fennoscandia. Annales Botanici Fennici 30: 53–75.
- GOWARD, T. 1999.
The Lichens of British Columbia. Part 2. Fruticose species. Special Report ser. 9. British Columbia Ministry of Forests, Crown Publications Inc., Victoria, B. C., Canada.
- GOWARD, T., & T. AHTI. 1983.
Parmelia hygrophila, a new lichen species from the Pacific Northwest of North America. Annales Botanici Fennici 20: 9–13.
- GOWARD, T., B. McCUNE, & D. MEIDINGER. 1994.
The lichens of British Columbia. Illustrated keys. Part 1. Foliose and squamulose species. British Columbia Ministry of Forests, Crown Publications Inc., Victoria, B. C., Canada.
- GREUTER, W., J. MCNEILL, F. R. BARRIE, H. M. BURDET, V. DEMOULIN, T. S. FILGUEIRAS, D. H. NICOLSON, P. C. SILVA, J. E. SKOG, P. TREHANE, N. J. TURLAND, & D. L. HAWKSWORTH. 2000.
International code of botanical nomenclature (Saint Louis code). Regnum Vegetabile 138: 1–474.
- GRUBE, M., & B. D. RYAN. 2002.
Collemopsisidium, pp. 162–164, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- GYELNIK, V. 1931.
Additamenta ad cognitorum lichenum extra-europaeorum. Annales de Cryptogamie Exotique 4: 166–174.

GYELNIK, V. 1934.

Additamenta ad cognitorum Parmeliarum. VI. Repertorium Novarum Specierum Regni Vegetabilis 36: 299–302.

HAFELLNER, J. 1984.

Studien in Richtung einer natürlicheren Gliederung der Sammelfamilien Lecanoraceae und Lecideaceae, in H. Hertel & F. Oberwinkler (eds.), Beiträge zur Lichenologie. Festschrift J. Poelt. Beihefte zur Nova Hedwigia 79: 241–371.

HAFELLNER, J. 1993.

Acarospora und *Pleopsidium* — zwei lichenisierte Ascomycetengattungen (Lecanorales) mit zahlreichen Konvergenzen. Nova Hedwigia 56: 281–305.

HAFELLNER, J. 2004.

Buelliella, pp. 633–635; *Dactylospora*, pp. 645–648, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

HAFELLNER, J., T. H. NASH III, & B. D. RYAN. 2004.

Calvitimela, pp. 44–46, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

HAFELLNER, J., & B. D. RYAN. 2004.

Catinaria, pp. 56–57, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

HAFELLNER, J., D. TRIEBEL, B. D. RYAN, & T. H. NASH III. 2002.

On lichenicolous fungi from North America. II. Mycotaxon 84: 293–329.

HAFELLNER, J., & R. TÜRK. 2001.

Die lichenisierten Pilze Oesterreichs — eine Checkliste der bisher nachgewiesenen Arten mit Verbreitungsangaben. Stapfia 76: 3–167.

HALE, M. E. 1955.

Studies on the chemistry and distribution of North American lichens (1–5). The Bryologist 58: 242–246.

HALE, M. E. 1964.

The *Parmelia conspersa* group in North America and Europe. The Bryologist 67: 462–473.

HALE, M. E. 1965.

A monograph of *Parmelia*, subgenus *Amphigymnia*. Contributions from the United States National Herbarium 36: 193–358.

HALE, M. E. 1967.

New taxa in *Cetraria*, *Parmelia*, and *Parmeliopsis*. The Bryologist 70: 414–422.

HALE, M. E. 1969.

How to Know the lichens. First Edition. W. C. Brown Co., Publ., Dubuque.

HALE, M. E. 1971.

Parmelia squarrosa, a new species in section *Parmelia*. Phytologia 22: 29.

HALE, M. E. 1975.

A revision of the lichen genus *Hypotrachyna* (Parmeliaceae) in tropical America. Smithsonian Contributions to Botany 25: 1–73. Smithsonian Institution Press, Washington, D. C.

HALE, M. E. 1976a.

A monograph of the lichen genus *Pseudoparmelia* Lynge (Parmeliaceae). Smithsonian Contributions to Botany 31: 1–61.

- HALE, M. E. 1976b.
A monograph of the lichen genus *Parmelina* Hale (Parmeliaceae). Smithsonian Contributions to Botany 33: 1–60.
- HALE, M. E. 1979.
How to Know the lichens. Second Edition. W. C. Brown Co., Publ., Dubuque.
- HALE, M. E. 1984.
New species of *Xanthoparmelia* (Ascomycotina: Parmeliaceae). Mycotaxon 20: 73–79.
- HALE, M. E. 1988.
New combinations in the lichen genus *Xanthoparmelia* (Ascomycotina: Parmeliaceae). Mycotaxon 33: 401–406.
- HALE, M. E. 1990.
A synopsis of the lichen genus *Xanthoparmelia* (Vainio) Hale (Ascomycotina: Parmeliaceae). Smithsonian Contributions to Botany 74: 1–250.
- HALE, M. E., & M. COLE. 1988.
Lichens of California. University of California Press, Berkeley.
- HALE, M. E., & W. L. CULBERSON. 1956.
A checklist of the lichens of the United States, Canada, and Alaska. Castanea 21: 73–105.
- HALE, M., & A. FLETCHER. 1990.
Rimelia Hale & Fletcher, a new lichen genus (Ascomycotina, Parmeliaceae). The Bryologist 93: 23–29.
- HALONEN, P. 2000.
Usnea pacificana sp. nov. and *U. wasmuthii* (lichenized Ascomycetes) in Pacific North America. The Bryologist 103: 38–43.
- HALONEN, P., P. CLERC, T. GOWARD, I. M. BRODO, & K. WULFF. 1998.
Synopsis of the genus *Usnea* (lichenized Ascomycetes) in British Columbia, Canada. The Bryologist 101: 36–60.
- HAMMER, S. 1989a.
Cladonia thiersii: a new lichen from California. Mycotaxon 34: 115–118.
- HAMMER, S. 1989b.
Cladonia carneola: two new localities in western North America. The Bryologist 92: 126–127.
- HAMMER, S. 1989c.
Phytogeographical notes on acidophilous *Cladonia* species in California. Madroño 36: 169–174.
- HAMMER, S. 1991.
A preliminary synopsis of the species of *Cladonia* in California and adjacent Oregon. Mycotaxon 40: 169–197.
- HAMMER, S. 1993.
New *Cladonia* species from western North America: *Cladonia artuata* and *C. poroscypha*. The Bryologist 96: 80–85.
- HAMMER, S. 1994.
Cladoniaceae Americanae Exsiccatae. Mycotaxon 52: 475–493.
- HAMMER, S. 1995.
A synopsis of the genus *Cladonia* in the northwestern United States. The Bryologist 98: 1–28.
- HAMMER, S. 2001.
A new *Cladonia* from California. The Bryologist 104: 226–229.
- HAMMER, S., & T. AHTI. 1990.
New and interesting species of *Cladonia* from California. Mycotaxon 37: 335–348.
- HANSEN, G. 1895.

- Where the Big Trees grow, flora of the Sequoia region: list of plants collected. San Francisco.
HANSEN, G. 1896.
- Flora of the Sequoia gigantea region. Jackson, CA.
HARADA, H. 1991.
- Heterocarpon* Müll. Arg., an overlooked lichenicolous genus. *Systema Ascomycetum* 10: 1–6.
HARRIS, C. W. 1903.
- Lichens — *Sticta*. *The Bryologist* 6: 55–58.
HARRIS, R. C. 1973.
- The corticolous pyrenolichens of the Great Lakes region. *Michigan Botanist* 12: 3–68.
HARRIS, R. C. 1975.
- A taxonomic revision of the genus *Arthopyrenia* Massal. sensu lato (Ascomycetes) in North America. Ph. D. dissertation, Michigan State University, East Lansing.
HARRIS, R. C. 1979.
- Four species of *Thelopsis* Nyl. (lichenized Ascomycetes) new to North America. *The Bryologist* 82: 77–78.
HARRIS, R. C. 1984.
- Sticta*, an “easy” genus becomes more difficult. *Evansia* 1: 7–8.
HARRIS, R. C. 1988.
- Corrections and additions to the fifth checklist. *Evansia* 5: 4–5.
HARRIS, R. C. 1989.
- A sketch of the family Pyrenulaceae (Melanommatales) in eastern North America. *Memoirs of the New York Botanical Garden* 49: 74–107.
HARRIS, R. C. 1990.
- Some Florida lichens. Publ. by author, New York Botanical Garden, Bronx.
HARRIS, R. C. 1993.
- A name change for a California *Ramonia*. *The Bryologist* 96: 474.
HARRIS, R. C. 1995.
- More Florida lichens, including the 10¢ tour of the Pyrenolichens. Publ. by author, New York Botanical Garden, Bronx.
HARRIS, R. C. 1997.
- Reinstatement of *Lecidea cyrtidia* Tuck. in the North American lichen checklist. *Evansia* 14: 69–73.
HASSE, H. E. 1895.
- Lichens of the vicinity of Los Angeles I. *Erythea* 3: 41–44.
HASSE, H. E. 1896.
- Lichens of the vicinity of Los Angeles II–IV. *Erythea* 4: 96–98, 106–108, 150–157.
HASSE, H. E. 1897.
- New species of lichens from southern California as determined by Dr. W. Nylander and the late Dr. Stizenberger. *Bulletin of the Torrey Botanical Club* 24: 445–449.
HASSE, H. E. 1898a.
- Lichens of Southern California. Los Angeles.
HASSE, H. E. 1898b.
- New species of lichens from southern California determined by Professor W. Nylander. *Bulletin of the Torrey Botanical Club* 25: 632–633.
HASSE, H. E. 1902.
- The genus *Dirina* in North America. *Bulletin of the Southern California Academy of Sciences* 1: 26–27.
HASSE, H. E. 1903a.

- Contributions to the lichen flora of the California coast islands. *Bulletin of the Southern California Academy of Sciences* 2: 23–26.
- HASSE, H. E. 1903b.
Contributions to the lichen-flora of the California coast islands. *Bulletin of the Southern California Academy of Sciences* 2: 33–35.
- HASSE, H. E. 1903c.
Additions to the lichen flora of southern California. *Bulletin of the Southern California Academy of Sciences* 2: 52–54.
- HASSE, H. E. 1903d.
The lichen flora of San Clemente Island. *Bulletin of the Southern California Academy of Sciences* 2: 54–55.
- HASSE, H. E. 1903e.
Additions to the lichen flora of southern California, Part II. *Bulletin of the Southern California Academy of Sciences* 2: 58–60.
- HASSE, H. E. 1903f.
Additions to the lichen flora of southern California, Part III. *Bulletin of the Southern California Academy of Sciences* 2: 71–73.
- HASSE, H. E. 1905.
A few lichens picked up on San Jacinto Mountain. *Bulletin of the Southern California Academy of Sciences* 4: 123–125.
- HASSE, H. E. 1906.
Contributions to the lichen flora of southern California. *Bulletin of the Southern California Academy of Sciences* 5: 38–45.
- HASSE, H. E. 1908a.
Additions to the lichen flora of southern California. *The Bryologist* 11: 6–7.
- HASSE, H. E. 1908b.
Lichens collected in the Tehachepi [sic] Mountains, California, June, 1907. *The Bryologist* 11: 55–57, 74.
- HASSE, H. E. 1909.
Additions to the lichen flora of southern California. No. 2. *The Bryologist* 12: 101–104.
- HASSE, H. E. 1910a.
Additions to the lichen flora of southern California. *The Bryologist* 13: 60–62.
- HASSE, H. E. 1910b.
Additions to the lichen flora of southern California. No. 4. *The Bryologist* 13: 111–112.
- HASSE, H. E. 1911a.
Additions to the lichen flora of southern California. No. 5. *The Bryologist* 14: 2–4.
- HASSE, H. E. 1911b.
Additions to the lichen flora of southern California. No. 6. *The Bryologist* 14: 100–102.
- HASSE, H. E. 1912.
Additions to the lichen flora of southern California. No. 7. *The Bryologist* 15: 45–48.
- HASSE, H. E. 1913a.
Additions to the lichen flora of southern California. No. 8. *The Bryologist* 16: 1–2.
- HASSE, H. E. 1913b.
The lichen flora of southern California. Contributions from the United States National Herbarium 17: 1–132.
- HASSE, H. E. 1914.
Additions to the lichen flora of southern California. No. 9. *The Bryologist* 17: 61–63.

- HASSE, H. E. 1915a.
Additions to the lichen flora of southern California. No. 10. *The Bryologist* 18: 22–23.
- HASSE, H. E. 1915b.
Additions to the lichen flora of southern California. No. 11. *The Bryologist* 18: 92–94.
- HAWKSWORTH, D. 1979.
Studies in the genus *Endococcus* (Ascomycotina, Dothideales). *Botaniska Notiser* 132: 283–290.
- HAWKSWORTH, D. 1985.
Kirschsteiniothelia, a new genus for the *Microthelia incrustans* group (Dothideales). *Botanical Journal of the Linnean Society* 91: 181–202.
- HAWKSWORTH, D. 1989.
Notes on aquatic species of *Verrucaria* in the British Isles. *Lichenologist* 21: 23–28.
- HAWKSWORTH, D. 2003.
The lichenicolous fungi of Great Britain and Ireland: an overview and annotated checklist. *Lichenologist* 35: 191–232.
- HAWKSWORTH, D. L., & M. S. COLE. 2002.
Intralichen, a new genus for lichenicolous '*Bispora*' and '*Trimmatostroma*' species. *Fungal Diversity* 11: 87–97.
- HAWKSWORTH, D., P. M. KIRK, B. C. SUTTON, & D. N. PEGLER. 1995.
Ainsworth & Bisby's Dictionary of the Fungi, 8th ed. International Mycological Institute, CAB International, Wallingford, UK.
- HAWKSWORTH, D., & R. SANTESSON. 1988.
Skytella, a new genus for *Phacopsis mulleri*. Willey (syn. *Agyrium flavescens* Rehm). *Graphis Scripta* 2(1): 33–37.
- HEBERT, J. R., & R. W. MEYER. 1984.
Lichens of the San Joaquin Experimental Range, California. *The Bryologist* 87: 251–254.
- HEDRICK, J. 1933.
New genera and species of lichens from the herbarium of Bruce Fink, I. *Mycologia* 25: 303–316.
- HEDRICK, J. 1934.
New genera and species of lichens from the herbarium of Bruce Fink, II. *Mycologia* 26: 153–166.
- HEIDMARSSON, S. 2000.
Taxonomy and phylogeny of *Dermatocarpon* (Verrucariales, lichenized Ascomycotina) with special emphasis on the Nordic species. *Acta Universitatis Upsalienses*, Uppsala. 25 pp.
- HEIDMARSSON, S., & O. BREUSS. 2004.
Dermatocarpon, pp. 88–93, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- HENSSEN, A. 1963a.
Dreie neue Arten der Flechtengattung *Phylliscum*. *Svensk Botanisk Tidskrift* 57: 145–160.
- HENSSEN, A. 1963b.
The North American species of *Massalongia* and generic relationships. *Canadian Journal of Botany* 41: 1331–1346.
- HENSSEN, A. 1963c.
Study of the genus *Koerberia*. *Canadian Journal of Botany* 41: 1347–1357.
- HENSSEN, A. 1963d.
A study of the genus *Vestergrenopsis*. *Canadian Journal of Botany* 41: 1359–1369.
- HENSSEN, A. 1963e.
The North American species of *Placynthium*. *Canadian Journal of Botany* 41: 1687–1724.

- HENSSEN, A. 1963f.
Eine Revision der Flechtenfamilien. Lichinaceae und Ephebeaceae. *Symbolae Botanicae Upsalienses* 18(1): 1–123.
- HENSSEN, A. 1977.
The genus *Zahlbrucknerella*. *Lichenologist* 9: 17–46.
- HENSSEN, A. 1986.
Edwardiella mirabilis, a holocarpous lichen from Marion Island. *Lichenologist* 18: 51–56.
- HENSSEN, A. 1987.
Lichenothelia, a genus of microfungi on rocks, in *Progress and Problems in lichenology in the Eighties*. *Bibliotheca Lichenologica* 25: 257–293. J. Cramer, Berlin, Stuttgart.
- HENSSEN, A. 1989.
Metamelanea and *Stromatella*, new genera of Lichinaceae. *Lichenologist* 21: 101–118.
- HENSSEN, A. 1994.
Contribution to the morphology and species delimitation in *Heppia* s. str. (lichenized Ascomycotina). *Acta Botanica Fennica* 150: 57–73.
- HENSSEN, A., & P. M. JØRGENSEN. 1990.
New combinations and synonyms in the Lichinaceae. *Lichenologist* 22: 137–147.
- HERRE, A. W. C. T. 1906.
The foliaceous and fruticose lichens of the Santa Cruz peninsula, California. *Proceedings of the Washington Academy of Sciences* 7: 325–396.
- HERRE, A. W. C. T. 1907.
Lichen distribution in the Santa Cruz peninsula, California. *Botanical Gazette* 43: 267–273.
- HERRE, A. W. C. T. 1910.
The lichen flora of the Santa Cruz peninsula, California. *Proceedings of the Washington Academy of Sciences* 12(2): 27–269.
- HERRE, A. W. C. T. 1911a.
The desert lichens of Reno, Nevada. *Botanical Gazette* 51: 286–297.
- HERRE, A. W. C. T. 1911b.
The Gyrophoraceae of California. *Contributions from the United States National Herbarium* 13: 313–321; plates 68–73.
- HERRE, A. W. C. T. 1912a.
New or rare California lichens. *The Bryologist* 15: 81–87.
- HERRE, A. W. C. T. 1912b.
Supplement to the lichen flora of the Santa Cruz peninsula, California. *Journal of the Washington Academy of Sciences* 2: 380–386.
- HERRE, A. W. C. T. 1940.
A new species of lichen from California. *The Bryologist* 43: 27.
- HERRE, A. W. C. T. 1942a.
Lichens from Mount Shasta, California. *The Bryologist* 45: 43–45.
- HERRE, A. W. C. T. 1942b.
[Review of] Edward C. Berry, A monograph of the genus *Parmelia* in North America. *The Bryologist* 45: 149–151.
- HERRE, A. W. C. T. 1942c.
Additions to and comments upon the lichen flora of the Santa Cruz Peninsula, California. *American Midland Naturalist* 28: 752–755.
- HERRE, A. W. C. T. 1944a.
A neglected field of study with the description of a new lichen from California. *Farlowia* 1: 391–393.

- HERRE, A. W. C. T. 1944b.
Lichens new to central California. *The Bryologist* 47: 86–90.
- HERRE, A. W. C. T. 1944c.
Additions to the lichen flora of the Santa Cruz Peninsula, California. *The Bryologist* 47: 90–91.
- HERRE, A. W. C. T. 1945.
Lichen distribution in California. *The Bryologist* 48: 1–7.
- HERRE, A. W. C. T. 1946.
The Parmelias of California. *Contributions from the Dudley Herbarium* 3: 313–350.
- HERRE, A. W. C. T. 1950a.
The lichen flora of Mount Shasta, California. *The Bryologist* 53: 43–54.
- HERRE, A. W. C. T. 1950b.
New lichens from California, New Mexico, and the Philippines. *The Bryologist* 53: 296–299.
- HERRE, A. W. C. T. 1952.
A new species of *Schismatomma* from California. *The Bryologist* 55: 295–297.
- HERRE, A. W. C. T. 1956.
A new Alaskan *Lecanora* and a new *Leptogium* from California. *The Bryologist* 59: 39–41.
- HERRE, A. W. C. T. 1957.
A new record for *Cypheliopsis bolanderi*. *The Bryologist* 60: 347–348.
- HERRE, A. W. C. T. 1963.
The lichen genus *Usnea* and its species at present known from the Philippines. *Philippine Journal of Science* 92: 41–76.
- HERRERA-CAMPOS, M. A., T. H. NASH III, & A. ZAMBRANO GARCIA. 2001.
Preliminary study of the *Usnea fragilesceus* aggregate in Mexico. *The Bryologist* 104: 235–259.
- HERTEL, H. 1969.
Arthonia intexta Almq., ein vielfach verkannter fruchtkörperloser Flechtenparasit. *Berichte der Deutschen Botanischen Gesellschaft* 82: 209–220.
- HERTEL, H. 1970a.
Beiträge zur Kenntnis der Flechtenfamilie Lecideaceae, III. *Herzogia* 2: 37–62.
- HERTEL, H. 1970b.
Trapeliaceae — eine neue Flechtenfamilie. *Deutsche Botanische Gesellschaft, New Series*, 4: 171–185.
- HERTEL, H. 1971a.
Beiträge zur Kenntnis der Flechtenfamilie Lecideaceae, IV. *Herzogia* 2: 231–261.
- HERTEL, H. 1971b.
Über holarktische Krustenflechten aus den venezuelanischen Anden. *Willdenowia* 6: 225–271.
- HERTEL, H. 1973.
Beiträge zur Kenntnis der Flechtenfamilie Lecideaceae, V. *Herzogia* 2: 479–515.
- HERTEL, H. 1988.
Lecideaceae Exsiccatae ausgegeben von der Botanischen Staatsammlung München. Fasc. X (No. 181–200). June 1988. 8 pp.
- HERTEL, H. 1997.
The genus *Lecidea* (Lecanorales) in southern Chile and Argentina, in L. Tibell & I. Hedberg (eds.), *Lichen studies dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32(1): 95–111.
- HERTEL, H. 2004.
Adelolecia, pp. 16–18; *Schaereria*, pp. 503–504, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

- HERTEL, H., & M. P. ANDREEV. 2003.
On some saxicolous lecideoid lichens of the Beringian region and adjacent areas of eastern Siberia and the Russian Far East. *The Bryologist* 106: 539–551.
- HERTEL, H., & C. PRINTZEN. 2004.
Lecidea, pp. 287–309, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.
- HERTEL, H., & G. RAMBOLD. 1985.
Lecidea Sect. *Armeniaca*. Lecideoide Arten der Flechtengattungen *Lecanora* und *Tephromela* (Lecanorales). *Botanische Jahrbucher für Systematik* 107(1–4): 469–501.
- HESTMARK, G. 2004.
Umbilicaria, pp. 548–556, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.
- HILL, B. 1996.
April field trip to Morro Bay, Monterey County [sic], California. *Bulletin of the California Lichen Society* 3(1): 14–15.
- HILL, B. 1997.
CALS Wantrup Preserve field trip. *Bulletin of the California Lichen Society* 4: 15–16.
- HILL, B. 2002.
Fieldtrip to Rock Springs, Mount Tamalpais, August 24, 2002. *Bulletin of the California Lichen Society* 9(2): 16–17.
- HILLMAN, J. 1930.
Studien über die Flechtengattung *Teloschistes*. *Hedwigia* 69: 303–343.
- HOLIEN, L. 1989.
The genus *Bryoria*, Sect. *Implexae* in Norway. *Lichenologist* 21: 243–258.
- HOLMGREN, P. K., N. H. HOLMGREN, & L. C. BARNET (Eds.) 1990.
Index herbariorum. Part 1. The herbaria of the world, 8th ed. New York Botanical Garden, Bronx.
- HOWARD, G. E. 1970.
The lichen genus *Ochrolechia* in North America north of Mexico. *The Bryologist* 73: 93–130.
- HOWE, R. H. 1910a.
A manual of the genus *Usnea*, as represented in North and Middle America north of the fifteenth parallel. *Bulletin of the Torrey Botanical Club* 37: 1–18.
- HOWE, R. H. 1910b.
Physcia villosa from North America. *Botanical Gazette* 49: 320.
- HOWE, R. H. 1910c.
Physcia villosa in North America. *Botanical Gazette* 50: 159–160.
- HOWE, R. H. 1911.
American species of *Alectoria* occurring north of the fifteenth parallel. *Mycologia* 3: 106–150.
- HOWE, R. H. 1912a.
Classification de la famille des Usneaceae dans l'Amérique du Nord. Ph. D. dissertation, University of Paris.
- HOWE, R. H. 1912b.
Further notes on the North American distribution of the genus *Usnea*. *The Bryologist* 15: 29–30.
- HOWE, R. H. 1913.
North American species of the genus *Ramalina*, I and II. *The Bryologist* 16: 65–74 [plates I–III], 81–88 [plates VIII, IX].

HOWE, R. H. 1914.

North American species of the genus *Ramalina*, III. The Bryologist 17: 1–7 [plates I, II]; IV, pp. 17–27 [plates V, VI]; V, pp. 33–40 [plates VII, VIII]; VI, pp. 49–52 [plate X]; VII, p. 65–69 [plate XI]; VIII, pp. 81–87 [plates XII, XIII].

HOWE, R. H. 1914–1915.

A monograph of the Usneaceae of the United States and Canada. Parts 1, 2. Memoir of the Museum of the Thoreau Museum of Natural History, Middlesex School, Concord.

HOWE, R. H. 1915.

The genus *Teloschistes* in North America. Bulletin of the Torrey Botanical Club 42: 579–583.

HUE, A. M. 1887.

Addenda nova ad lichenographiam europaeum. Exposuit in Flora Ratisbonensi. Dr. W. Nylander in ordine vero systematico disposuit. Pars. 1, II. Revue de Botanique. Extr. 6: 5–192.

HUE, A. M. 1888.

Addenda nova ad lichenographiam europaeum. Exposuit in Flora Ratisbonensi W. Nylander Pars. III. Friedländer & Sohn, Berlin. pp. 129–371.

HUE, A. M. 1890.

Lichens exoticos a professore W. Nylander descriptos vel recognitos et in herbario musei Parisiensis pro maxima parte assertavos in ordine systematico disposuit. Nouvelles archives du Muséum d'histoire naturelle, Series 3, 2: 211–322.

HUE, A. M. 1891.

Lichens exoticos a professore W. Nylander descriptos vel recognitos et in herbario musei Parisiensis pro maxima parte assertavos in ordine systematico disposuit. Nouvelles archives du Muséum d'histoire naturelle, Series 3, 3: 33–192.

HUE, A. M. 1892.

Lichens exoticos a professore W. Nylander descriptos vel recognitos et in herbario musei Parisiensis pro maxima parte assertavos in ordine systematico disposuit. Nouvelles archives du Muséum d'histoire naturelle, Series 3, 4: 103–156.

HUE, A. M. 1895.

Lichens de Californie récoltées par M. Diguët, et déterminés par M. l'abbé Hue. Journal de Botanique 9: 108–113.

HUE, A. M. 1899.

Lichens extra-Europaei. Archives du Musée national d'histoire naturelle, Series 4, 1: 27–220.

HUE, A. M. 1909a.

Quatuor Lichenum exoticorum genera elaboravit. Bulletin de la Société Linnéenne de Normandie, Series 6, 1: 84.

HUE, A. M. 1909b.

Sur un nouveau genre des Lichens exotiques. Compte rendu du congrès des sociétés savantes de Paris et des départements. Section de Sciences. Paris.

HULTING, J. 1896.

Beiträge zur Flechtenflora Nordamerikas. Hedwigia 35: 186–193.

IMSHAUG, H. A. 1951.

The lichen-forming species of the genus *Buellia* in the United States and Canada. Ph. D. dissertation, Harvard University, Cambridge.

IMSHAUG, H. A. 1957.

Alpine lichens of western United States and adjacent Canada. 1. The macrolichens. The Bryologist 60: 177–272.

IMSHAUG, H. A., & I. M. BRODO. 1966.

- Biosystematic studies on *Lecanora pallida* and some related lichens in the Americas. *Nova Hedwigia* 12: 1–59.
- JAHNS, H. E. 1970.
Remarks on the taxonomy of the European and North American species of *Pilophorus* Th. Fr. *Lichenologist* 4: 199–213.
- JORDAN, W. P. 1968.
Corticolous and lignicolous lichens of the San Francisco Watershed. M. A. thesis, San Francisco State College, San Francisco.
- JORDAN, W. P. 1973.
The genus *Lobaria* in North America north of Mexico. *The Bryologist* 76: 225–251.
- JORDAN, W. P. 1980.
Edrudia, a new genus from California (Lichenes: Teloschistaceae). *The Bryologist* 83: 64–67.
- JØRGENSEN, P. M. 1978.
The lichen family Pannariaceae in Europe. *Opera Botanica* 45: 1–123.
- JØRGENSEN, P. M. 1994.
Studies in the lichen family Pannariaceae VI. The taxonomy and phytogeography of *Pannaria* Del. s. lat. *Journal of the Hattori Botanical Laboratory* 76: 197–206.
- JØRGENSEN, P. M. 1997.
Further notes on hairy *Leptogium* species, in L. Tibell & I. Hedberg (eds.), *Lichen studies dedicated to Rolf Santesson*. *Symbolae Botanicae Upsalienses* 32(1): 113–130.
- JØRGENSEN, P. M. 2001a (2000).
Survey of the lichen family Pannariaceae on the American continent, north of Mexico. *The Bryologist* 103: 670–704.
- JØRGENSEN, P. M. 2001b.
New species and records of the lichen family Pannariaceae from Australia, in P. M. McCarthy, G. Kantvilas, & S. H. J. J. Louwhoff (eds.), *Lichenological contributions in honour of Jack Elix*. *Bibliotheca Lichenologica* 78: 109–139. J. Cramer, Berlin.
- JØRGENSEN, P. M. 2002.
Fuscopannaria, pp. 196–202; *Moelleropsis*, pp. 286–287; *Psoroma*, pp. 431–433, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- JØRGENSEN, P. M. 2004.
A revision of the *Pannaria rubiginosa* complex in South America. *Nova Hedwigia* 78: 311–327.
- JØRGENSEN, P. M. 2005.
Additions to the Pannariaceae of North America. *The Bryologist* 108: 255–258.
- JØRGENSEN, P. M., & T. H. NASH III. 2004.
Leptogium, pp. 330–350, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- JØRGENSEN, P. M., & H. J. M. SIPMAN. 2004.
A revision of the *Pannaria rubiginosa* complex in South America. *Nova Hedwigia* 78: 311–327.
- JØRGENSEN, P. M., & T. TØNSBERG. 1999.
Notes on some small species of *Leptogium* from Pacific North America. *The Bryologist* 102: 412–417.
- JØRGENSEN, P. M., & A. VEZDA. 1984.
Topelia, a Mediterranean lichen genus, in H. Hertel & F. Oberwinkler (eds.), *Beiträge zur Lichenologie*. *Festschrift J. Poelt*. Beihefte zur *Nova Hedwigia* 79: 501–511.

JOVAN, S. 2003.

Distributions and habitat models of epiphytic *Physconia* in north-central California. *Bulletin of the California Lichen Society* 10: 29–35.

JOVAN, S., & B. McCUNE. 2004.

Regional variation in epiphytic macrolichen communities in northern and central California forests. *The Bryologist* 107: 328–339.

KAINZ, C., & G. RAMBOLD. 2004.

Rimularia, pp. 466–467, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KAINZ, C., & D. TRIEBEL. 2004.

Endococcus. Pp. 648–651, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KALB, K. 2004.

Dirinaria, pp. 98–103, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KALB, K., B. D. RYAN, & T. H. NASH III. 2004.

Ophioparma, pp. 387–388, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KALB, K., & J. A. ELIX. 1998.

The chemistry of some species of *Buellia* sensu lato (Lecanorales, lichenized Ascomycotina). *Mycotaxon* 68: 465–482.

KALB, K., & B. STAIGER. 1995.

Rindenbewohnende Arten der Flechtengattung *Ophioparma* in Amerika, in E. E. Farkas, R. Lücking, & V. Wirth (eds.), *Scripta Lichenologica — Lichenological papers dedicated to Antonín Vezda. Bibliotheca Lichenologica* 58: 191–198. J. Cramer, Berlin, Stuttgart.

KÄRNEFELT, J.-E. 1986.

The genera *Bryocaulon*, *Coelocaulon* and *Cornicularia* and formerly associated taxa. *Opera Botanica* 86: 1–90.

KÄRNEFELT, J.-E., & A. THELL. 2001.

Delimitation of the lichen genus *Tuckermannopsis* Gyel. (Ascomycotina, Parmeliaceae) based on morphology and DNA sequences, in P. M. McCarthy, G. Kantvilas, & S. H. J. J. Louwhoff (eds.), *Lichenological contributions in honour of Jack Elix. Bibliotheca Lichenologica* 78: 192–209. J. Cramer, Berlin.

KASALICKY, T. 2004.

Fulgensia, pp. 114–116, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KASHIWADANI, H., & T. H. NASH III. 2004.

Ramalina, pp. 440–455, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.

KEISSLER, C. 1926.

Schedae ad “Kryptogamas exsiccatas” editae a Museo historiae naturalis Vindobonensi (olim Museum

- Palatinum). *Annalen des Naturhistorischen Museums in Wien* 40: 130–150.
- KEISSLER, C. 1928.
Schedae ad “Kryptogamas exsiccatas” editae a Museo historiae naturalis Vindobonensi (olim Museum Palatinum). *Annalen des Naturhistorischen Museums in Wien* 42: 47–74.
- KNOPH, J.-G. 1990.
Untersuchungen an gesteinsbewohnenden xanthonhaltigen Sippen der Flechtengattung *Lecidella* (Lecanoraceae, Lecanorales) unter besonderer Berücksichtigung von auszereuropäischen Proben exklusive Amerika. *Bibliotheca Lichenologica* 78: 1–183. J. Cramer, Berlin, Stuttgart.
- KNOPH, J.-G., & C. LEUCKERT. 1994.
Chemotaxonomic studies in the saxicolous species of the lichen genus *Lecidella* (Lecanorales, Lecanoraceae) in America. *Nova Hedwigia* 59: 455–508.
- KNOPH, J.-G., & C. LEUCKERT. 2004.
Lecidella, pp. 309–320, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- KNOPH, J.-G., & B. MIES. 1995.
Beiträge zur Flechtenflora der Kapverdischen Inseln III. Die saxicolen Arten der Gattung *Lecidella*. *Bibliotheca Lichenologica* 57: 295–305.
- KNOPH, J.-G., & G. RAMBOLD. 2004.
Porpidia, pp. 422–424, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- KNOPH, J.-G., G. RAMBOLD, D. TRIEBEL, & C. KAINZ. 2004.
Carbonea, pp. 54–55, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- KNOPH, J.-G., R. SCHMIDT, & J. ELIX. 1995.
Untersuchungen einiger Arten der Gattung *Lecidella* mit Hochdruckflüssigkeitschromatographie unter besonderer Berücksichtigung von epiphytischen Proben. *Bibliotheca Lichenologica* 57: 307–326.
- KNUDSEN, K. 2003a.
Point Loma lichen foray, March 23, 2003. *Bulletin of the California Lichen Society* 10: 17–18.
- KNUDSEN, K. 2003b.
Texosporium sancti-jacobi (Ascomycetes: Caliciales: Caliciaceae) new finds and general observations. *Crossosoma* 28: 9–12.
- KNUDSEN, K. 2003c.
Type specimens: investigations and observations. *Bulletin of the California Lichen Society* 10: 36–38.
- KNUDSEN, K. 2004a.
A preliminary study of *Acarospora smaragdula* var. *lesdainii* in California. *Opuscula Philolichenum* 1: 21–24.
- KNUDSEN, K. 2004b.
A study of *Acarosporas* in The Lichen Flora of the Santa Cruz Peninsula by A. W. C. T. Herre. *Bulletin of the California Lichen Society* 11(1): 10–15.
- KNUDSEN, K. 2004c (2003).
Three notable lichen collections and their relationship to lichen distributions in southern California. *Crossosoma* 29: 37–40.
- KNUDSEN, K. 2005a.
Acarospora epilutescens rediscovered. *Opuscula Philolichenum* 2: 11–14.

- KNUDSEN, K. 2005b.
Polysporina lapponica in southern California. *Opuscula Philolichenum* 2: 17–20.
- KNUDSEN, K. 2005c.
Lichens of the Santa Monica Mountains. *Opuscula Philolichenum* 2: 27–36.
- KNUDSEN, K., J. LENDEMER, & R. E. RIEFNER JR. 2005.
Flavoparmelia subcapitata rediscovered in southern California. *Bulletin of the California Lichen Society* 12(1): 1–2.
- KOLB, A., & T. SPRIBILLE. 2001.
Calicium corynellum (Ach.) Ach. in the United States, and *Calicium montanum* Tibell new for North America. *Evansia* 18: 90–92.
- KONDRATYUK, S. Y., & I. KÄRNEFELT. 1997.
Josefpoeltia and *Xanthomendoza*, two new genera in the Teloschistaceae (lichenized Ascomycotina), in R. Türk & R. Zorer (eds.), *Progress and problems in lichenology in the Nineties*. *Bibliotheca Lichenologica* 68: 19–44. J. Cramer, Berlin, Stuttgart.
- KONDRATYUK, S. Y., & J. POELT. 1997.
Two new Asian *Xanthoria* species (Teloschistaceae; lichenized Ascomycotina). *Lichenologist* 29: 173–190.
- KROG, H. 1968.
The macrolichens of Alaska. *Norsk Polarinstitut Skrifter* 144: 1–180.
- KUKWA, M. 2002a.
Lepraria Ach. and *Leproloma* Cromb. in Poland in X. Llimona, H. T. Lumbsch, & S. Ott (eds.), *Progress and problems in lichenology at the turn of the millenium*. *Bibliotheca Lichenologica* 82: 67–76. J. Cramer, Berlin, Stuttgart.
- KUKWA, M. 2002b.
Taxonomic notes on the lichen genera *Lepraria* and *Leproloma*. *Annales Botanici Fennici* 39: 225–226.
- KUROKAWA, S. 1962.
A monograph of the genus *Anaptychia*. *Beihefte zur Nova Hedwigia* 6: 1–115.
- KUROKAWA, S. 1973.
Supplementary notes on the genus *Anaptychia*. *Journal of the Hattori Botanical Laboratory* 37: 563–607.
- LAMB, I. M. 1939.
What is *Lecanora pringlei* Tuckerman. *The Bryologist* 42: 32–36.
- LAMB, I. M. 1947.
A monograph of the lichen genus *Placopsis*. *Lilloa* 13: 151–288.
- LAMB, I. M. 1954.
Studies in frutescent Lecideaceae (lichenized Discomycetes). *Rhodora* 56: 105–129, 137–153.
- LAMB, I. M. 1963.
Index nominum lichenum. Ronald Press, New York.
- LAMB, I. M. 1977.
A conspectus of the lichen genus *Stereocaulon* (Schreb.) Hoffm. *Journal of the Hattori Botanical Laboratory* 43: 191–355.
- LAMB, I. M., & A. WARD. 1974.
A preliminary conspectus of the species attributed to the imperfect lichen genus *Leprocaulon* Nyl. *Journal of the Hattori Botanical Laboratory* 38: 499–553.
- LENDEMER, J. 2004a.
Changes and additions to the checklist of North American lichens. I. *Mycotaxon* 89: 255–257.

- LENDEMER, J. 2004b.
Placynthiella knudsenii sp. nov., a new lichen from western North America. *Opuscula Philolichenum* 1: 75–78.
- LENDEMER, J., & I. I. TAVARES. 2003.
Nomenclature and typification in the genus *Usnea* (lichenized Ascomycetes). I. *Usnea rigida*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 153: 177–180.
- LENDEMER, J., & R. YAHR. 2004.
Changes and additions to the checklist of North American lichens II. *Mycotaxon* 90: 319–322.
- LINDBLOM, L. 1997.
The lichen genus *Xanthoria* (Fr.) Th. Fr. in North America. *Journal of the Hattori Botanical Laboratory* 83: 75–172.
- LINDBLOM, L. 2004.
Xanthomendoza, pp. 561–566; *Xanthoria*, pp. 605–611, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- LINDSAY, J. B. 1973.
A lichen flora of the Samoa peninsula, Humboldt Bay, California. M. A. thesis. Humboldt State University, Arcata.
- LLANO, G. A. 1950.
A monograph of the lichen family Umbilicariaceae in the western hemisphere. Office of Naval Research, Navexos P-831: 1–281.
- LLANO, G. A. 1956.
New Umbilicariaceae from the western hemisphere, with a key to genera. *Journal of the Washington Academy of Sciences* 46: 183–185.
- LOHTANDER, K., L. MYLLYS, R. SUNDIN, M. KÄLLERSJO, & A. TEHLER. 1998.
The species pair concept in the lichen *Dendrographa leucophaea* (Arthoniales): analyses based on ITS sequences. *The Bryologist* 101: 404–411.
- LOWE, J. L. 1939.
The genus *Lecidea* in the Adirondack Mountains of New York. *Lloydia* 2: 225–304.
- LÜCKING, & K. KALB. 2000.
Foliikole Flechten aus Brasilien (vornehmlich Amazonien), inklusive einer checkliste und bemerkungen zu *Coenogonium* und *Dimerella* (Gyalectaceae). *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie* 122(1): 1–61.
- LUMBSCH, H. T. 1988.
The identity of *Diploschistes gypsaceus*. *Lichenologist* 20: 19–24.
- LUMBSCH, H. T. 1989.
Die holarktischen Vertreter der Flechtengattung *Diploschistes* (Thelotremataceae). *Journal of the Hattori Botanical Laboratory* 66: 133–196.
- LUMBSCH, H. T. 2002.
Diploschistes, pp. 173–178, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- LUMBSCH, H. T. 2004.
Ingvariella, pp. 136–137, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- LUMBSCH, H. T., & C. KAINZ. 2004.
Trapelia, pp. 537–538, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.),

- Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- LUMBSCH, H. T., M. I. MESSUTI, & T. NASH III. 2003.
New or overlooked species in the *Lecanora subfusca* group in southwestern North America (Lecanorales, Ascomycotina). *The Bryologist* 106: 552–559.
- LUMBSCH, H. T., & T. NASH III. 2002.
Pertusaria. pp. 341–357, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- LUMBSCH, H. T., T. NASH III, & M. I. MESSUTI. 1999.
A revision of *Pertusaria* species with hyaline ascospores in southwestern North America (Pertusariales, Ascomycotina). *The Bryologist* 102: 215–239.
- LUMBSCH, H. T., M. PLÜMPER, R. GUDERLEY, & G. B. FEIGE. 1997.
The corticolous species of *Lecanora* sensu stricto with pruinose apothecial discs, in L. Tibell & I. Hedberg (eds.), Lichen studies dedicated to Rolf Santesson. *Symbolae Botanicae Upsalienses* 32(1): 131–161.
- MAGNEY, D. 1999.
Preliminary list of rare California lichens. *Bulletin of the California Lichen Society* 6: 22–27.
- MAGNUSSON, A. H. 1927.
Descriptions of new or not properly defined lichens. *Meddelanden från Göteborgs Botaniska Trädgård* 3: 11–23.
- MAGNUSSON, A. H. 1929a.
The yellow species of *Acarospora* in North America. *Mycologia* 21: 249–260.
- MAGNUSSON, A. H. 1929b.
A monograph of the genus *Acarospora*. *Kongliga Svenska Vetenskaps-Akademiens Handlingar*, Stockholm, Series 3, 7: 1–400.
- MAGNUSSON, A. H. 1935a (1934).
On the species of *Biatorella* and *Sarcogyne* in America. *Annales de Cryptogamie Exotique* 7: 115–146.
- MAGNUSSON, A. H. 1935b.
On saxicolous species of the genus *Lecidea* proper to North America. *Acta Horti Gothoburgensis* 10: 1–53.
- MAGNUSSON, A. H. 1936.
Acarosporaceae und Thelocarpaceae, in Dr. Rabenhorst's *Kryptogamenflora* 2. Aufl., 9, V. Abt., Part I: 1–318.
- MAGNUSSON, A. H. 1939.
Western American lichens, mainly from Oregon. *Acta Horti Gothoburgensis* 13: 237–253.
- MAGNUSSON, A. H. 1944.
Some species of *Caloplaca* from North America. *Botaniska Notiser* 1944: 63–79.
- MAGNUSSON, A. H. 1947.
On North American non-saxicolous species of the genus *Rinodina*. *Botaniska Notiser* 1947: 32–54.
- MAGNUSSON, A. H. 1952.
Lichens from Torne Lappmark. *Arkiv för Botanik*, ser. 2, 2(2): 45–249.
- MAGNUSSON, A. H. 1953.
New lichens, mainly *Rinodina* species, from U. S. A. *Botaniska Notiser* 1953: 187–196.
- MAGNUSSON, A. H. 1956.
A second supplement to the monograph of *Acarospora* with keys. Göteborgs Kungl. Vetenskaps-, -och Vitterhets-Samhälles Handlingar, Sjätte Följden, Series B, 6(17): 1–34.

- MALACHOWSKI, J. A. 1975.
Macrolichens of the pygmy forests. M. A. thesis, California State University, Chico.
- MARBACH, B. 2000.
Corticole und lignicole Arten der Flechtengattung *Buellia* sensu lato in den Subtropen und Tropen. *Bibliotheca Lichenologica* 74. 384 pp. J. Cramer, Berlin, Stuttgart.
- MARTIN, E., B. McCUNE, & J. HUTCHINSON. 2002.
Distribution and morphological variation of *Leptogium cellulosum* and *L. teretiusculum* in the Pacific Northwest. *The Bryologist* 105: 358–362.
- MARTÍNEZ, I., & G. ARAGÓN. 2004.
The *Lecanora varia* group in Spain: species with amphithecial cortex. *The Bryologist* 107: 222–230.
- MATTSSON, J.-E. 1993.
A monograph of the genus *Vulpicida* (Parmeliaceae, Ascomycetes). *Opera Botanica* 119: 1–61.
- MAY, P. F. 1997.
Ophioparma lapponica — a misunderstood species. *Harvard University Papers in Botany* 2(2): 213–228.
- MAYRHOFER, H. 1987.
Monographie der Flechtengattung *Thelenella*. *Bibliotheca Lichenologica* 26: 1–106.
- MAYRHOFER, H. 2002.
Chromatochlamys, pp. 130–131; *Thelenella*, pp. 479–481, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- MAYRHOFER, H., & J. W. SHEARD. 2004.
Dimelaena, pp. 93–97; *Mobergia*, pp. 364–365, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- MAYRHOFER, H., J. W. SHEARD, & M. MATZER. 1992.
Mobergia (Physciaceae, lichenized Ascomycetes), a new genus endemic to western North America. *The Bryologist* 95: 436–442.
- MAYRHOFER, H., J. W. SHEARD, M. C. GRASSLER, & J. A. ELIX. 2001.
Rinodina intermedia (Physciaceae, lichenized Ascomycetes): a well-characterized species with submuriform ascospores. *The Bryologist* 104: 456–463.
- McCLATCHIE, A. J. 1895.
Flora of Pasadena and vicinity. pp. 605–649, in H. A. Reid (ed.), *History of Pasadena, Pasadena*.
- McCLATCHIE, A. J. 1897.
Seedless plants of southern California. *Protophytes — Pteridophytes*. *Proceedings of the Southern California Academy of Sciences* 1: 363–370.
- McCUNE, B. 1985.
Sterile, yellowish lichen crusts on soil in North America. *Evansia* 2: 23–26.
- McCUNE, B. 1987.
Distribution of chemotypes of *Rhizoplaca* in North America. *The Bryologist* 90: 6–14.
- McCUNE, B. 2002.
Hypogymnia, pp. 228–238, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- McCUNE, B., F. CAMACHO, & J. PONZETTI. 2002.
Three new species of *Trapeliopsis* on soil in western North America. *The Bryologist* 105: 78–85.
- McCUNE, B., & L. GEISER. 1997.
Macrolichens of the Pacific Northwest. Oregon State University Press, Corvallis.

- McCUNE, B., & T. GOWARD. 1995.
Macrolichens of the Northern Rocky Mountains. Mad River Press, Eureka. 208 pp.
- McCUNE, B., & R. ROSENTERTER. 1992.
Texosporium sancti-jacobi, a rare western North American lichen. The Bryologist 95: 329–333.
- McCUNE, B., & R. ROSENTERTER. 1995.
Distribution and ecology of *Thelomma ocellatum* in western North America. Evansia 12: 103–106.
- McDONALD, T., J. MIADLIKOWSKA, & F. LUTZONI. 2003.
The lichen genus *Sticta* in the Great Smoky Mountains: a phylogenetic study of morphological, chemical, and molecular data. The Bryologist 106: 61–79.
- McGEE, M. 1995.
CALs field trip of July 16, 1995 to San Bruno Mountain, San Mateo County, California. Bulletin of the California Lichen Society 2(2): 12–13.
- McGEE, M. 1998.
San Francisco Watershed field trip, 31 January, 1998. Bulletin of the California Lichen Society 5: 16–18.
- McGEE, M. 1999.
Field trips. San Francisco Watershed, Crystal Springs Lake, January 23, 1999; Pepperwood Ranch Natural Preserve, Sonoma County, Feb. 20, 1999; Marine algae of San Francisco Bay, February 27, 1999. Bulletin of the California Lichen Society 6: 13–14.
- McGEE, M. 2001.
Unusual collections of macrolichens on *Eucalyptus*. Bulletin of the California Lichen Society 8: 22–24.
- McGEE, M. 2003.
Abrothallus welwitschii in California on *Sticta limbata*. Bulletin of the California Lichen Society 10: 39.
- MERRILL, G. K. 1910.
Two new *Cetraria* forms and three new combinations. The Bryologist 13: 25–30.
- MERRILL, G. K. 1923.
Lichens. Pp. 358–377, in C. F. Millspaugh and L. W. Nuttall (eds.), Flora of Santa Catalina Island, California. Publications of the Field Museum of Natural History, Botanical Series, vol. 5.
- MIADLIKOWSKA, J., & F. LUTZONI. 2000.
Phylogenetic revision of the genus *Peltigera* (lichen-forming Ascomycota) based on morphological, chemical and large subunit nuclear ribosomal DNA data. International Journal of Plant Science 161: 925–958.
- MOBERG, R. 1977.
The lichen genus *Physcia* and allied genera in Fennoscandia. Symbolae Botanicae Upsalienses 22: 1–108.
- MOBERG, R. 1990.
Waynea, a new lichen genus in the Bacidiaceae from California. Lichenologist 22: 249–252.
- MOBERG, R. 1997.
The lichen genus *Physcia* in the Sonoran Desert and adjacent areas, in L. Tibell & I. Hedberg (eds.), Lichen studies dedicated to Rolf Santesson. Symbolae Botanicae Upsalienses 32(1): 163–186.
- MOBERG, R. 2002.
Hyperphyscia, pp. 221–222; *Physcia*, pp. 358–373; *Waynea*, pp. 507–508, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- MOBERG, R., & T. H. NASH III. 1999.

- The genus *Heterodermia* in the Sonoran Desert area. *The Bryologist* 102: 1–14.
- MOBERG, R., & T. H. NASH III. 2002.
Heterodermia, pp. 358–373, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- MOE, R. L. 1997.
Verrucaria tavaresiae, sp. nov., a marine lichen with a brown algal photobiont. *Bulletin of the California Lichen Society* 4: 7–11.
- MOTYKA, J. 1936–1938.
Lichenum Generis Usnea Studium Monographicum. Pars Systematica, Vols. 1, 2. Published by the author. Leopoli. 651 pp.
- MOTYKA, J. 1964.
 The North American species of *Alectoria*. *The Bryologist* 67: 1–44.
- MOXLEY, G. L. 1918.
 Additions to the lichen flora of southern California. *Bulletin of the Southern California Academy of Sciences* 17: 61–62.
- MOXLEY, G. L. 1921.
 Some vacation lichens. *The Bryologist* 24: 24–25.
- MÜLLER, J. 1882.
 Lichenologische Beiträge XV. *Flora* 65: 291–306, 316–322, 326–338, 381–386, 397–402.
- NÁDVORNIK, J. 1942.
 Beiträge zur Kenntnis der aussereuropäischen coniocarpen Flechten. *Annales Mycologici* 40: 133–139.
- NASH, T. H. III. 1974.
 Chemotaxonomy of Arizonan lichens of the genus *Parmelia* subgenus *Xanthoparmelia*. *Bulletin of the Torrey Botanical Club* 101: 317–325.
- NASH, T. H. III. 1975.
 Lichens of Maricopa County, Arizona. *Journal of the Arizona Academy of Science* 10: 119–125.
- NASH, T. H. III. 2002a.
Leptochidium, p. 265; *Massalongia*, pp. 272–274; *Trimmatothele*, p. 504, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III. 2002b.
 Previously reported, but currently excluded species from the Greater Sonoran Desert region. Pp. 509–510, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, & J. A. ELIX. 1986.
 A new species and new records in the lichen genus *Xanthoparmelia* (Vain.) Hale (Ascomycotina: Parmeliaceae) for North America. *Mycotaxon* 26: 453–455.
- NASH, T. H. III, & J. A. ELIX. 2002.
Cetrelia, pp. 129–130; *Flavoparmelia*, pp. 194–196; *Parmelia*, pp. 308–310; *Parmelina*, pp. 312–313; *Parmotrema*, pp. 318–329; *Rimelia*, pp. 449–451, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, & J. A. ELIX. 2004.
Xanthoparmelia, pp. 566–605, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State

- University, Tempe.
- NASH, T. H. III, & H. HERTEL. 1997.
Lecanora comonduensis (Lecanorales, Lecanoraceae), a new species of lichenized fungi from the Sonoran Desert Region. *The Bryologist* 100: 377–379.
- NASH, T. H. III, C. KAINZ, L. ZEDDA, B. D. RYAN, & G. RAMBOLD. 2004.
Miriquidica, pp. 361–363, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, K. KALB, & G. RAMBOLD. 2004.
Tephromela, pp. 530–532, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, & P. NIMIS. 2002.
Topelia, p. 502, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, B. D. RYAN, W. C. DAVIS, O. BREUSS, J. HAFELLNER, H. T. LUMBSCH, L. TIBELL, & T. FEUERER. 1998.
Additions to the lichen flora of Arizona, IV. *The Bryologist* 101: 93–99.
- NASH, T. H. III, B. D. RYAN, P. DIEDERICH, C. GRIES, & F. BUNGARTZ (eds.). 2004.
Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, B. D. RYAN, C. GRIES, & F. BUNGARTZ (eds.). 2002.
Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, G. M. SIPMAN, & J. A. ELIX. 2002.
Hypotrachyna, pp. 238–251, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, & T. TØNSBERG. 2004.
Gyalideopsis, pp. 126–127, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NASH, T. H. III, & M. ZAVADA. 1977.
Population studies among Sonoran Desert species of *Parmelia* subgenus *Xanthoparmelia* (Parmeliaceae). *American Journal of Botany* 64: 664–669.
- NAVARRO-ROSINÉS, P., V. CALATAYUD, & J. HAFELLNER. 2004.
Cercidospora, pp. 635–639, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NAVARRO-ROSINÉS, P., & N. L. HLADUN. 2004.
Sarcopyrenia, pp. 690–691, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- NIMIS, P. L., & M. TRETACH. 1997.
A revision of *Tornabea*, a genus of fruticose lichens new to North America. *The Bryologist* 100: 217–235.
- NIMIS, P. L., & M. TRETACH. 2002.

- Tornabea*, p. 503, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- NOBLE, W. J. 1980.
Catillaria columbiana comb. nov. from western North America. *The Bryologist* 83: 71–72.
- NOBLE, W. J. 1982.
The lichen flora of the coastal Douglas-fir dry subzone of British Columbia, 1982, Reprinted by B. McCune, 1987.
- NOBLE, W. J., T. AHTI, G. F. OTTO, & I. M. BRODO. 1987.
A second checklist and bibliography of the lichens and allied fungi of British Columbia. *Syllogeus* 61: 1–95.
- NORDIN, A. 1996.
Buellia species (Physciaceae) with pluriseptate spores in Norden. *Symbolae Botanicae Upsalienses* 31(3): 327–354.
- NORDIN, A. 1999.
Buellia species with pluriseptate spores: new and unrecorded species in North America. *The Bryologist* 102: 249–264.
- NYLANDER, W. 1858 (1857).
Énumération générale des lichens, avec l'indication sommaire de leur distribution géographique. *Memoires de la Société Nationale des Sciences Naturelles et Mathématiques de Cherbourg* 5: 85–146.
- NYLANDER, W. 1858–1860.
Synopsis methodica lichenum omnium hucusque cognitorum praemissa introductione lingua gallica tractata. L. Martinet, Paris.
- NYLANDER, W. 1869.
Lichenes in Brasilia a Glaziou collecti. *Flora (Regensburg)* 52: 117–126.
- NYLANDER, W. 1870.
Recognito monographica Ramalinarum. *Bulletin de la Société Linnéenne de Normandie, Series 2*, 4: 101–180.
- NYLANDER, W. 1885.
Arthoniae novae Americae borealis. *Flora* 68: 311–312.
- NYLANDER, W. 1888.
Lichenes Novae Zelandiae. Paris.
- NYLANDER, W. 1900.
Lichenes Ceylonenses et additamentum ad lichenes Japoniae. *Acta Societatis Scientiarum Fennicae* 26: 1–33.
- OHLSSON, K. E. 1973.
New and interesting macrolichens of British Columbia. *The Bryologist* 76: 366–387.
- ORANGE, A. 2004.
Verrucaria papillosa is a synonym of *V. viridula*. *Lichenologist* 36: 445–447.
- ORCUTT, C. R. 1885.
Flora of southern and lower California. No publisher given. San Diego. 13 pp.
- ORCUTT, C. R. 1903.
Southern California lichens. *The West American Scientist* 14(3): 17–22; 14(4): 25–28.
- ORCUTT, C. R. 1907.
Botany of southern California. Lichens. *American Plants*, 1: 240–245, 367–372.
- ORCUTT, C. R. 1909.
Botany of southern California. Lichens. *American Plants*, 2: 400–401.
- OZENDA, P., & G. CLAUZADE. 1970.

- Les lichens: Étude biologie et flore illustrée. Masson et Cie, Paris.
- PARISH, S. B. 1914.
Plant ecology and floristics of Salton Sink. Pp. 85–114, in D. T. MacDougal, The Salton Sea. Carnegie Institution of Washington, Washington, D. C.
- PENTECOST, A., & P. M. JAMES. 1992.
Opegrapha Humb. (1793), pp. 404–415. in O. W. Purvis, B. J. Coppins, D. L. Hawksworth, P. W. James, & D. M. Moore (eds.), The Lichen flora of Great Britain and Ireland. Natural History Museum Publications, British Lichen Society, London.
- PERSOH, D., & C. KAINZ. 2004.
Phacopsis, pp. 679–680, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- PETERS, A. F., & R. L. MOE. 2001.
DNA sequences confirm that *Petroderma maculiforme* (Phaeophyceae) is the brown algal phycobiont of the marine lichen *Verrucaria tavaresiae* (Verrucariales, Ascomycota) from central California. Bulletin of the California Lichen Society 8: 41–43.
- PETERSON, E. B. 1997.
Lichens of the Klamath region: what do we know and why haven't we found endemics? Pp. 120–126, in J. K. Beigel, E. S. Jules, & B. Snitkin (eds.), Proceedings of the First Conference on Siskiyou Ecology. Siskiyou Regional Education Project and the Nature Conservancy, Portland.
- PETERSON, E. B., D. M. GREENE, B. McCUNE, E. T. PETERSON, M. A. HUTTEN, P. WEISBERG, & R. ROSENRETER. 1998.
Sulcaria badia, a rare lichen in western North America. The Bryologist 101: 112–115.
- PETERSON, E. B., & J. RIKKINEN. 1999.
Range extensions of selected pin-lichens and allied fungi in the Pacific Northwest. The Bryologist 102: 370–376.
- PETRAK, F. 1952.
Fungi Beltsvillenses. IV. *Sydowia* 6: 352–360.
- PIKE, L. H., & M. E. HALE. 1982.
Three new species of *Hypogymnia* from western North America (Lichenes: Hypogymniaceae). Mycotaxon 16: 157–161.
- PINELLI, J. J., & W. P. JORDAN. 1978.
Lichens of Calaveras Big Trees State Park, California. The Bryologist 81: 432–435.
- PLITT, C. C. 1923.
A new species of *Crocynia*. The Bryologist 26: 16–19.
- POELT, J., & T. H. NASH III. 1993.
Studies in the *Umbilicaria vellea* group (Umbilicariaceae) in North America. The Bryologist 96: 422–430.
- PRINTZEN, C. 1995.
Die Flechtengattung *Biatora* in Europa. Bibliotheca Lichenologica 60: 1–275. J. Cramer, Berlin.
- PRINTZEN, C. 2001.
Corticolous and lignicolous species of *Lecanora* (Lecanoraceae, Lecanorales) with usnic or isousnic acid in the Sonoran Desert region. The Bryologist 104: 382–409.
- PRINTZEN, C. 2004.
Hertelidea, pp. 134–135, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

- PRINTZEN, C., & B. McCUNE. 2004.
Trapeliopsis, pp. 538–541, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- PRINTZEN, C., & T. TØNSBERG. 1999.
 The lichen genus *Biatora* in northwestern North America. *The Bryologist* 102: 692–713.
- PURVIS, O. W., B. J. COPPINS, D. L. HAWKSWORTH, P. W. JAMES, & D. M. MOORE (eds.). 1992.
 The Lichen flora of Great Britain and Ireland. Natural History Museum Publications, British Lichen Society, London.
- RÄSÄNEN, V. 1944.
 Lichenes Novi 1. *Annales Botanici Societatis Zoologicae-Botanicae Fennicae* “Vanamo” 20: 1–34.
- RÄSÄNEN, V. 1949.
 Lichenes Novi V. *Archivum Societatis Zoologicae-Botanicae Fennicae* “Vanamo” 3: 178–188.
- REDHEAD, S. A., F. LUTZONI, J.-M. MONCALVO, & R. VILGALYS. 2002.
 Phylogeny of Agarics: partial systematics solutions for core omphalinoid genera in the Agaricales (Euagarics). *Mycotaxon* 83: 19–57.
- REYNOLDS, D. 1996.
 Courageous work lets *Nephroma* figure in the defense of its habitat. *Bulletin of the California Lichen Society* 3(2): 13.
- RICO, V. J., V. CALATAYUD, & M. GIRALT. 2003.
Buellia tesserata and *Dimelaena radiata*, two closely related species. *Lichenologist* 35: 117–124.
- RIDDLE, L. W. 1910.
 The North American species of *Stereocaulon*. *Botanical Gazette* 50: 285–304.
- RIDDLE, L. W. 1916.
 The lichens of Bermuda. *Bulletin of the Torrey Botanical Club* 43: 145–160.
- RIDDLE, L. W. 1918.
 Some extensions of ranges. *The Bryologist* 21: 50.
- RIEDL, H. 1962a (1961).
 Die Arten der Gattung *Mycoporellum* Müll. Arg. sensu A. Zahlbruckner Catal., nebst Bemerkungen zum System dothidealer Flechten. I. *Sydowia* 15: 257–287.
- RIEDL, H. 1962b (1961).
 Bemerkungen über die Pilzgattung *Peltosphaeria* Berl. *Sydowia* 15: 301–308.
- RIEDL, H. 1963 (1962).
 Die Arten der Gattung *Mycoporellum* Müll. Arg. sensu A. Zahlbruckner Catal., nebst Bemerkungen zum System dothidealer Flechten. II. *Sydowia* 16: 215–234.
- RIEFNER, R. E. JR. 1989.
Punctelia punctilla (Hale) Krog, new to North America. *Phytologia* 67: 254–257.
- RIEFNER, R. E. JR. 1990.
Pertusaria pseudocorallina and *Ramalina fastigiata* new to North America. *Mycotaxon* 39: 31–41.
- RIEFNER, R. E. JR, & P. BOWLER. 1994a.
Ramalina baltica and *Ramalina canariensis* in North America. *Mycotaxon* 51: 495–501.
- RIEFNER, R. E. JR, & P. BOWLER. 1994b.
Ramalina puberulenta: a new lichen from California. *Mycotaxon* 52: 247–257.
- RIEFNER, R. E. JR, P. BOWLER, J. MARSH, & T. H. NASH III. 1995.
Niebla tuberculata (Ramalinaceae): a new lichen from California. *Mycotaxon* 54: 397–401.
- RIEFNER, R., P. A. BOWLER, & B. D. RYAN. 1995.
 New and interesting records of lichens from California. *Bulletin of the California Lichen Society* 2(2):

- 1–11.
- RIEFNER, R. E. JR., & R. ROSENTERETER. 2004.
The distribution and ecology of *Texosporium* in southern California. *Madroño* 51: 326–330.
- RIEFNER, R. E. JR., G. F. PRATT, & R. J. SHLEMON. 2003.
A rare soil lichen, an endangered butterfly, and open habitat soils: interacting components requiring protection in southern California. *Crossosoma* 28: 1–8.
- RIKKINEN, J. 1998.
Chaenotheca olivaceorufa (Caliciales) new to North America. *The Bryologist* 101: 558–559.
- ROBBINS, C. A. 1927.
The identity of *Cladonia beaumontii*. *Rhodora* 29: 133–138.
- ROBBINS, C. A. 1931.
Cladonias collected by S. F. Blake in the western United States. *Rhodora* 33: 135–139.
- ROBERTSON, J. 2001.
Daley Ranch field trip, April 28–29, 2001. *Bulletin of the California Lichen Society* 8: 34–36.
- ROBERTSON, J. 2002a.
Pygmy Forest field trip, Mendocino County, March 16, 2002, and list of macrolichens of the Pygmy Forest. *Bulletin of the California Lichen Society* 9(1): 8–12.
- ROBERTSON, J. 2002b.
CALs field trip to Santa Cruz Island, Santa Barbara County, August 5–9, 2002 planned and organized by Charis Bratt, Santa Barbara Botanical Garden. *Bulletin of the California Lichen Society* 9(2): 13–16.
- ROBERTSON, J. 2002c.
Sonoma County field trip on October 6, 2002. *Bulletin of the California Lichen Society* 9(2): 17–18.
- ROBERTSON, J. 2003a.
CALs field trip to Fairfield Osborne Preserve, Sonoma County, March 1, 2003. *Bulletin of the California Lichen Society* 10: 15–16.
- ROBERTSON, J. 2003b.
CALs field trip to UC White Mountains Research Station July 11–13, 2003. *Bulletin of the California Lichen Society* 10: 42–45.
- ROBERTSON, J. 2004.
CALs field trip to Mount Diablo State Park, January 31, 2004. *Bulletin of the California Lichen Society* 11(1): 20–22.
- ROBERTSON, J., B. HILL, & M. MCGEE. 1998.
Field trip to Brushy Peak Regional Preserve, Livermore Area Recreation and Parks Dept., Saturday, April 25, 1998. *Bulletin of the California Lichen Society* 5: 38–39.
- ROBERTSON, J., & R. ROBERTSON. 2001 (2000).
New and interesting records of lichens from California. *Bulletin of the California Lichen Society* 7: 64–66.
- ROBERTSON, J., & R. ROBERTSON. 2002 (2001).
New and interesting records of lichens from California. *Bulletin of the California Lichen Society* 8: 56–58.
- ROEMER, J., T. H. NASH III, H. T. LUMBSCH, & M. I. MESSUTI. 2004.
Ochrolechia, pp. 381–388, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited*, Arizona State University, Tempe.
- ROSENTERETER, R. 1998.
Notes on the *Aspicilia reptans* complex, with descriptions of two new species. pp. 163–170, in M. G.

- Glenn, R. C. Harris, R. Dirig, & M. S. Cole (eds.), *Lichenographia Thomsoniana; North American lichenology in honor of John W. Thomson*. Mycotaxon Ltd., Ithaca.
- ROUX, C., & P. CLERC. 1991.
Présence du genre *Waynea* Moberg (lichens) en Europe. *Bulletin de la Société Linnéenne de Provence* 42: 123–130.
- ROUX, C., P. CLERC, G. CLAUZADE, & O. BRICAUD. 1995.
La genro *Waynea* Moberg (Ascomycetes, Lecanorales, Bacidiaceae). *Bibliotheca Lichenologica* 58: 383–404.
- RUDOLPH, E. D. 1955.
Revisionary studies in the lichen family Blasteniaceae in North America. Ph. D. dissertation, Washington University, St. Louis.
- RUNDEL, P. W., & P. BOWLER. 1974.
The lichen genus *Trichoramalina*. *The Bryologist* 77: 188–194.
- RUNDEL, P. W., & P. BOWLER. 1976.
Ramalina leptocarpha and *R. subleptocarpha*: a fertile sorediate species pair. *The Bryologist* 79: 364–369.
- RUNDEL, P. W., & P. BOWLER. 1978.
Niebla, a new generic name for the lichen genus *Desmazieria* (Ramalinaceae). *Mycotaxon* 6: 497–499.
- RUNEMARK, H. 1956.
Studies in *Rhizocarpon*. II. Distribution and ecology of the yellow species in Europe. *Opera Botanica* 2(2): 1–150.
- RYAN, B. D. 1989a.
The genus *Cladidium* (lichenized Ascomycotina). *Mycotaxon* 34: 697–712.
- RYAN, B. D. 1989b.
Lecanora sect. *Petrasterion* (lichenized Ascomycotina) in North America: *Lecanora weberi* Ryan sp. nov. (subsect. *Pseudocorticatae*) from Colorado. *Mycotaxon* 36: 9–14.
- RYAN, B. D. 2002.
Ahtiana, pp. 91–92; *Alectoria*, pp. 92–95; *Bryoria*, pp. 109–114; *Evernia*, pp. 188–190; *Leprocaulon*, pp. 262–264; *Letharia*, pp. 267–270; *Nodobryoria*, pp. 299–301; *Parmeliopsis*, pp. 315–317; *Platismatia*, pp. 400–401; *Pseudophebe*, pp. 409–411; *Rhizoplaca*, pp. 442–448; *Vulpicida*, pp. 505–507, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D. 2004.
Lobothallia, pp. 352–357; *Xylographa*, pp. 612–616, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & D. J. GALLOWAY. 2002.
Pseudocyphellaria. pp. 413–415, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., H. HERTEL, & J. C. LENDEMER. 2004.
Placynthiella, pp. 419–422, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., H. T. LUMBSCH, M. I. MESSUTI, C. PRINTZEN, L. SLIWA, & T. H. NASH III. 2004.
Lecanora, pp. 176–286, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.),

- Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & T. H. NASH III. 1991.
Lichens of the Eastern Brook Lakes watershed, Sierra Nevada Mountains, California. *The Bryologist* 94: 181–195.
- RYAN, B. D., & T. H. NASH III. 1993.
Lecanora section *Placodium* (lichenized Ascomycotina) in North America; new taxa in the *L. garovagli* group. *The Bryologist* 96: 288–298.
- RYAN, B. D., & T. H. NASH III. 1997.
Systematics of *Lecanora* subgenus *Placodium* (lichenized Ascomycotina) in North America: an overview, with keys. *Nova Hedwigia* 64: 111–127.
- RYAN, B. D., & T. H. NASH III. 2002.
Cetrelia. pp. 129–130, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & T. H. NASH III. 2004.
Sporastatia, pp. 508–509, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., T. H. NASH III, & J. HAFELLNER. 2004.
Protoparmelia, pp. 425–430, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & P. L. NIMIS. 2004.
Dimerella, p. 97; *Gyalecta*, pp. 122–125; *Melaspilea*, pp. 358–359; *Ramonia*, pp. 455–456, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & M. SCHULTZ. 2002.
Polychidium. pp. 401–402, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & A. TEHLER. 2004.
Lecanactis, pp. 141–143, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., & E. TIMDAL. 2002.
Solenopsora. pp. 462–465, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- RYAN, B. D., T. TØNSBERG, T. H. NASH III, & J. HAFELLNER. 2004.
Pyrrhospora, pp. 436–439, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- SALISBURY, G. 1966.
A monograph of the lichen genus *Thelocarpon*. *Lichenologist* 3: 175–196.
- SANDERS, W. B. 1997.
Ramalina thrausta (Ach.) Nyl. in California. *Bulletin of the California Lichen Society* 4: 6.
- SANDERS, W. B. 1999a.
Thallus organization and development in the fruticose lichen *Aspicilia californica*, with comparisons to other taxa. *Lichenologist* 31: 149–162.

SANDERS, W. B. 1999b.

Fruticose growth of *Dirina catalinariae* f. *sorediata* on Santa Cruz Island, Northern Channel islands, California. *Bulletin of the California Lichen Society* 6: 2–3.

SANDERS, W. B., R. L. MOE, & C. ASCASO 2004.

The intertidal marine lichen formed by the pyrenomycete fungus *Verrucaria tavaresiae* (Ascomycotina) and the brown alga *Petroderma maculiforme* (Phaeophyceae): thallus organization and symbiont interaction. *American Journal of Botany* 91: 511–522.

SANTESSON, R. 1952.

Foliicolous lichens I: a revision of the taxonomy of the obligately foliicolous lichenized fungi. *Symbolae Botanicae Upsalienses* 12(1): 1–590.

SANTESSON, R. 1984.

The Lichens of Sweden and Norway. Swedish Museum of Natural History. Stockholm. 333 pp.

SANTESSON, R. 1993.

The lichens and lichenicolous fungi of Sweden and Norway. SBT-förlaget, Lund.

SCHADE, A. 1955.

Letharia vulpina (L.) Vain. II. Ihr Vorkommen in der neuen Welt und ihr Verhältnis zu *Letharia californica* (Lev.) Hue. *Feddes Repertorium* 58(1–3): 179–197.

SCHAUER, T. 1965.

Die holz- und rindenbewohnenden Arten der Flechtengattung *Buellia* s. str. im Nordalpenraum. *Mitteilungen Botanischen München* 5: 609–626.

SCHEIDEGGER, C. 1993.

A revision of European saxicolous species of the genus *Buellia* de Not. and formerly included genera. *Lichenologist* 25: 315–364.

SCHEIDEGGER, C., & M. SCHULTZ. 2004.

Harpidium, pp. 133–134, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.

SCHNEIDER, A. 1898.

A guide to the study of lichens. Bradlee Whidden, Boston.

SCHNEIDER, G. 1980 (1979).

Die Flechtengattung *Psora* sensu Zahlbruckner. *Bibliotheca Lichenologica* 13: 1–291.

SCHOENINGER, R. 2002.

Koerberia, pp. 259–260, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.

SCHULTZ, M. 2002.

Placynthium, pp. 397–399; *Poroscyphus*, pp. 406–407; *Spilonema*, pp. 465–466; *Stromatella*, pp. 475–476; *Synalissa*, pp. 476–477, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.

SCHULTZ, M. 2004.

Lempholemma, pp. 320–322; *Metamelanea*, pp. 359–360, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.

SCHULTZ, M., B. D. RYAN, & T. H. NASH III. 2004.

Collema, pp. 65–80, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.

- SCHULTZ, M., C. PRINTZEN, & C. SCHEIDEGGER. 2001 (2000).
Harpidium nashii sp. nov., a new species and a genus new to North America. *The Bryologist* 103: 802–805.
- SHEARD, J. W. 1964.
 The genus *Buellia* de Notaris in the British Isles (excluding Section *Diploicia* [A. Massal.] Stiz.). *Lichenologist* 2: 225–262.
- SHEARD, J. W. 1969.
 Four previously misinterpreted *Buellia* species from North America. *The Bryologist* 72: 220–224.
- SHEARD, J. W. 1974.
 The genus *Dimelaena* in North America north of Mexico. *The Bryologist* 77: 128–141.
- SHEARD, J. W. 1977.
 Paleogeography, chemistry, and taxonomy of the lichenized Ascomycetes *Dimelaena* and *Thamnotia*. *The Bryologist* 80: 100–118.
- SHEARD, J. W. 1982.
 The saxicolous species of the lichenized Ascomycete genus *Rinodina* with blue apothecia. *The Bryologist* 85: 88–95.
- SHEARD, J. W. 1992.
 The lichenized Ascomycete genus *Hafellia* in North America. *The Bryologist* 95: 79–87.
- SHEARD, J. W. 1995.
 Disjunct distributions of some North American, corticolous, vegetatively reproducing *Rinodina* species (Physciaceae, lichenized Ascomycetes). *Herzogia* 11: 115–132.
- SHEARD, J. W. 1998.
Rinodina riparia (lichenized Ascomycetes, Physciaceae) a new corticolous species from North America. Pp. 37–40, in M. G. Glenn, R. C. Harris, R. Dirig, & M. S. Cole (eds.), *Lichenographia Thomsoniana; North American lichenology in honor of John W. Thomson*. Mycotaxon Ltd., Ithaca.
- SHEARD, J. W. 2004.
Rinodina, pp. 467–502, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- SHEARD, J. W., & H. MAYRHOFER. 1984.
 Two new species of the lichenized ascomycete genus *Dimelaena* Norm. *The Bryologist* 87: 246–248.
- SHEARD, J. W., & H. MAYRHOFER. 2002 (2003).
 New species of *Rinodina* (Physciaceae, lichenized Ascomycetes) from western North America. *The Bryologist* 105: 645–672.
- SIERK, H. A. 1964.
 The genus *Leptogium* in North America north of Mexico. *The Bryologist* 67: 245–317.
- SIGAL, L. L. 1975.
 Lichens and mosses of California serpentine. M. A. thesis, San Francisco State University, San Francisco.
- SIGAL, L. L. 1989.
 The lichens of serpentine rocks and soils in California. *Mycotaxon* 34: 221–238.
- SIGAL, L. L., & D. R. TOREN. 1974.
 New distribution records of lichens in California. *The Bryologist* 77: 469–470.
- SIGAL, L. L., & D. R. TOREN. 1975.
 A new *Haematomma* from California. *The Bryologist* 78: 70–72.
- SIGAL, L. L., & D. R. TOREN. 1976 (1975).
 New distribution records of lichens in California. II. *The Bryologist* 78: 467–469.

- SIPMAN, H. J. M. 1993.
Lichenotheca latinoamericana a museo botanico berolinensi edita, fasciculum secundum. Willdenowia 23: 305–314.
- SLIWA, L., & C. M. WETMORE. 2000.
Notes on the *Lecanora varia* group in North America. The Bryologist 103: 475–492.
- SMITH, D. W. 1980.
A taxonomic survey of the macrolichens of Sequoia and Kings Canyon National Parks. M. A. thesis, San Francisco State University, San Francisco. (Not seen; information based on summary by Wetmore, 1983.)
- SØCHTING, U., I. KÄRNEFELT, & S. KONDRATYUK. 2002.
Revision of *Xanthomendoza* (Teloschistaceae, Lecanorales) based on morphology, anatomy, secondary metabolites and molecular data. Mitteilungen aus dem Institut f. Allgemeine Botanik in Hamburg 30: 225–240.
- SPARRIUS, L. B. 2004.
A monograph of *Enterographa* and *Sclerophyton*. Bibliotheca Lichenologica 89. 141 pp. J. Cramer, Berlin, Stuttgart.
- SPJUT, R. W. 1995.
Occurrence of *Mobergea calculiformis* (Physciaceae, Lecanorales) in the northern Vizcaino Desert of Baja California, Mexico. Pp. 475–482, in F. J. A. Daniels, M. Schultz, & J. Peine (eds.), Flechten Follmann. Contributions to lichenology in honour of G. Follmann. Universität Köln, Cologne.
- SPJUT, R. W. 1996.
Niebla and *Vermilacinia* (Ramalinaceae) from California and Baja California. Sida, Botanical Miscellany 14, pp. 1–208. Botanical Research Institute of Texas, Inc., Fort Worth.
- SPRIBILLE, T., & M. HAUCK. 2003.
Pyrrhospora gowardiana, a new montane lichen from western North America (Lecanoraceae, lichenized Ascomycetes). The Bryologist 106: 560–564.
- STAIGER, B. 2002.
Die Flechtenfamilie Graphidaceae. Studien in Richtung einer natürlicheren Gliederung. Bibliotheca Lichenologica 85. 526 pp. J. Cramer, Berlin.
- STAIGER, B., & K. KALB. 1995.
Haematomma-Studien. 1. Die Flechtengattung *Haematomma*. Bibliotheca Lichenologica 59: 1–198.
- STAIGER, B., & K. KALB. 2004.
Fissurina, pp. 109–110; *Graphis*, pp. 118–122, *Phaeographis*, pp. 402–403, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- ST. CLAIR, L. L., & R. B. WARRICK. 1987.
Acarospora nodulosa (Duf.) Hue v. *nodulosa*: a new record for North America. The Bryologist 90: 48–49.
- STENROOS, S. 1991.
The lichen genera *Parmelia* and *Punctelia* in Tierra del Fuego. Annales Botanici Fennici 28: 241–245.
- STIZENBERGER, E. 1895.
A list of lichens collected by Mr. Robert Reuleaux in the western parts of North America. Proceedings of the Southern California Academy of Sciences, Series 2, 5: 535–538. (republished in Erythea 3: 30–32, 1895.)
- SUNDIN, R. 2000.
Phylogeny and taxonomy within *Arthonia* Ach. in Fourth IAL Symposium, Progress and problems in lichenology at the turn of the millenium. P. 15. Universitat de Barcelona, Barcelona.

- SUNDIN, R., & A. TEHLER. 1996.
The genus *Dendrographa* (Roccellaceae). *The Bryologist* 99: 19–31.
- SUNDIN, R., & A. TEHLER. 1998.
Phylogenetic studies of the genus *Arthonia*. *Lichenologist* 30: 381–414.
- SWEET, S. 1983.
Lichens of Little Bald Hills, Del Norte County, Redwood National Park. M. A. thesis, San Francisco State University, San Francisco.
- TAVARES, I. 1996.
Notes on two species of *Caloplaca* from California. *Bulletin of the California Lichen Society* 3(2): 8.
- TAVARES, I. 1997a.
Lecania cyathiformis, a forgotten California lichen. *Bulletin of the California Lichen Society* 4: 11.
- TAVARES, I. 1997b.
A preliminary key to *Usnea* in California. *Bulletin of the California Lichen Society* 4: 19–23.
- TAVARES, I. 1998.
Usnea silesiaca and *U. subgracilis* in California. *Bulletin of the California Lichen Society* 5: 25–26.
- TAVARES, I., D. BALZANO, & D. WRIGHT. 1998.
Usnea wirthii in western North America. Pp. 187–199, in M. G. Glenn, R. C. Harris, R. Dirig, & M. S. Cole (eds.), *Lichenographia Thomsoniana; North American lichenology in honor of John W. Thomson*. Mycotaxon Ltd., Ithaca.
- TAVARES, I., & W. B. SANDERS. 1998.
Preliminary report on the short, apotheciate taxa of *Usnea* in the southwestern United States. Pp. 171–185, in M. G. Glenn, R. C. Harris, R. Dirig, & M. S. Cole (eds.), *Lichenographia Thomsoniana; North American lichenology in honor of John W. Thomson*. Mycotaxon Ltd., Ithaca.
- TAYLOR, T. 1847.
New lichens, principally from the herbarium of W. J. Hooker. *Hooker's Journal of Botany* 6: 148–197.
- TEHLER, A. 1983.
The genera *Dirina* and *Roccellina* (Roccellaceae). *Opera Botanica* 70: 1–89.
- TEHLER, A. 1985.
Three species of *Schismatomma*. *Lichenologist* 17: 205–212.
- TEHLER, A. 1993a.
Schismatomma and three new or reinstated genera, a reassessment of generic relationships in Arthoniales. *Cryptogamic Botany* 3: 139–151.
- TEHLER, A. 1993b.
The genus *Schismatomma* (Arthoniales, Euascomycetidae). *Opera Botanica* 118: 1–38.
- TEHLER, A. 1993c.
Two former *Schismatomma* species transferred to *Opegrapha* (Opegraphaceae, Arthoniales). *The Bryologist* 96: 219–222.
- TEHLER, A. 1993d.
The genus *Sigridea* (Roccellaceae, Arthoniales, Euascomycetes). *Nova Hedwigia* 57: 417–435.
- TEHLER, A. 2002.
Dendrographa, pp. 165–188; *Dirina*, pp. 178–180; *Hubbsia*, pp. 219–220; *Roccella*, pp. 451–454; *Roccellina*, pp. 454–455; *Schismatomma*, pp. 455–457; *Schizopelte*, pp. 457–458; *Sigridea*, pp. 461–462, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- TEHLER, A., K. LOHTANDER, L. MYLLYS, & R. SUNDIN. 1997.
On the identity of the genera *Hubbsia* and *Reinkella* (Roccellaceae), in L. Tibell & I. Hedberg (eds.),

- Lichen studies dedicated to Rolf Santesson. *Symbolae Botanicae Upsalienses* 32(1): 255–265.
- THELL, A. 2002.
Kaernefeltia. pp. 256–257, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- THELL, A., & T. GOWARD. 1996.
 The new cetrarioid genus *Kaernefeltia* and related groups in the Parmeliaceae (lichenized Ascomycotina). *The Bryologist* 99: 125–136.
- THELL, A., T. GOWARD, T. RANDLANE, E. I. KÄRNEFELT, & A. SAAG. 1995.
 A revision of the North American lichen genus *Ahtiana* (Parmeliaceae). *The Bryologist* 98: 596–605.
- THOMSON, J. W. 1950.
 The species of *Peltigera* of North America north of Mexico. *American Midland Naturalist* 44: 1–68.
- THOMSON, J. W. 1963.
 The lichen genus *Physcia* in North America. *Beihefte zur Nova Hedwigia* 7: 1–172.
- THOMSON, J. W. 1967.
 The lichen genus *Baeomyces* in North America north of Mexico. *The Bryologist* 70: 285–298.
- THOMSON, J. W. 1968a (1967).
 The lichen genus *Cladonia* in North America. University of Toronto Press, Toronto. Pp. 1–172.
- THOMSON, J. W. 1968b (1967).
 Notes on *Rhizocarpon* in the Arctic. *Nova Hedwigia* 14: 421–481.
- THOMSON, J. W. 1969.
Letharia californica is *Letharia columbiana* (Lichenes). *Taxon* 18: 535–537.
- THOMSON, J. W. 1979.
 Lichens of the Alaskan Arctic Slope. University of Toronto Press, Toronto. 314 pp.
- THOMSON, J. W. 1984.
 American Arctic lichens. 1. The macrolichens. Columbia University Press, New York. Pp. 1–504.
- THOMSON, J. W. 1987.
 The lichen genera *Catapyrenium* and *Placidiopsis* in North America. *The Bryologist* 90: 27–39.
- THOMSON, J. W. 1991.
 The lichen genus *Staurothele* in North America. *The Bryologist* 94: 351–367.
- THOMSON, J. W. 1997.
 American Arctic lichens. 2. Microlichens. University of Wisconsin Press, Madison. Pp. 1–675.
- THOMSON, J. W. 2002.
Staurothele, pp. 468–472, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- THOMSON, J. W. 2003.
 Lichens of Wisconsin. University of Wisconsin, Madison. Pp. 1–386.
- THOMSON, J. W., & E. H. KETCHLEDGE. 1958.
 The 1957 foray of the American Bryological Society on the Santa Cruz peninsula, California. *The Bryologist* 61: 155–161.
- THOMSON, J. W., & T. H. NASH. 1976.
 Three new lichens from the southwest: *Xanthoria concinna* sp. nov., *Lecanora collatolica* sp. nov. and *Toninia conglomerata*. *The Bryologist* 79: 350–353.
- THOR, G. 1990.
 The lichen genus *Chiodecton* and five allied genera. *Opera Botanica* 103: 1–92.
- TIBELL, L. 1975.
 The Caliciales of boreal North America. *Symbolae Botanicae Upsalienses* 21(2): 1–128.
- TIBELL, L. 1976.

- The genus *Thelomma*. Botaniska Notiser 129: 221–249.
- TIBELL, L. 1978a.
Comments on Caliciales Exsiccatae. I. Lichenologist 10: 171–178.
- TIBELL, L. 1978b.
Caliciales Exsiccatae. Distributed by the Herbarium, Institute of Systematic Botany, University of Uppsala, Sweden. Fasc. 1 (No. 1–25). Publications from the Herbarium, University of Uppsala 1: 1–13.
- TIBELL, L. 1979.
Caliciales Exsiccatae. Distributed by the Herbarium, Institute of Systematic Botany, University of Uppsala, Sweden. Fasc. 2 (No. 26–50). Publications from the Herbarium, University of Uppsala 4: 1–9.
- TIBELL, L. 1980.
The lichen genus *Chaenotheca* in the northern hemisphere. Symbolae Botanicae Upsalienses 23: 1–65.
- TIBELL, L. 1981.
Comments on Caliciales Exsiccatae II. Lichenologist 13: 51–64.
- TIBELL, L. 1987.
Typification of names of infrageneric taxa described by Acharius and placed by him in Caliciales. Annales Botanici Fennici 24: 257–280.
- TIBELL, L. 2004.
Sphinctrina, pp. 699–701, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- TIBELL, L., & A. V. HOFSTEN. 1968.
Spore evolution of the lichen *Texosporium sancti-jacobi* (= *Cyphelium sancti-jacobi*). Mycologia 60: 553–558.
- TIBELL, L., & B. D. RYAN. 2004.
Calicium, pp. 39–44; *Chaenotheca*, pp. 57–61; *Chaenothecopsis*, pp. 639–641; *Cyphelium*, pp. 82–88; *Microcalicium*, pp. 669–673; *Phaeocalicium*, pp. 399–401; *Sphaerophorus*, pp. 507–508; *Stenocybe*, pp. 511–513; *Texosporium*, pp. 532–533; *Thelomma*, pp. 533–536, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- TIBELL, L., & A. TITOV. 1995.
Species of *Chaenothecopsis* and *Mycocalicium* (Caliciales) on exudate. The Bryologist 98: 550–560.
- TIMDAL, E. 1986.
A revision of *Psora* (Lecideaceae) in North America. The Bryologist 89: 253–275.
- TIMDAL, E. 1992.
A monograph of the genus *Toninia* (Lecideaceae, Ascomycetes). Opera Botanica 110: 1–137.
- TIMDAL, E. 2002.
Hypocenomyce, pp. 223–228; *Psora*, pp. 418–430; *Psorinia*, pp. 430–431; *Psorula*, pp. 434–435; *Toninia*, pp. 488–501, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- TØNSBERG, T. 1990.
Japewia subaurifera, a new lichen genus and species from northwest Europe and western North America. Lichenologist 22: 205–212.
- TØNSBERG, T. 1993.
Additions to the lichen flora of North America. The Bryologist 96: 138–141.
- TØNSBERG, T. 1998 (1997).

- Additions to the lichen flora of North America. VI. *The Bryologist* 100: 522–524.
- TØNSBERG, T. 2004.
Chrysothrix, pp. 62–63; *Lepraria*, pp. 322–329; *Normandina*, pp. 380–381, *Phlyctis*, pp. 415–416, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- TØNSBERG, T., & T. GOWARD. 2001.
Sticta oroborealis sp. nov. and other Pacific North American lichens forming dendriscoauloid cyanotypes. *The Bryologist* 104: 12–23.
- TORRENTE, P., & J. M. EGEA. 1992.
 New species of *Opegrapha* from south-western Europe and northern Africa. *Mycotaxon* 45: 83–92.
- TORREY, J. 1856.
 Botanical report. In United States War Department, Reports of explorations and surveys to ascertain the most practical and economical route for a railroad from the Mississippi River to the Pacific Ocean, 1853–56. 7(3): 1–28.
- TRETIACH, M., P. L. NIMIS, & T. H. NASH III. 2002.
Thelopsis, pp. 482–483, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 1. Lichens Unlimited, Arizona State University, Tempe.
- TRIEBEL, D., & M. E. S. CÁCERES. 2004.
Stigmidium, pp. 703–707, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- TRIEBEL, D., & C. KAINZ. 2004.
Muellerella, pp. 673–675, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- TRIEBEL, D., G. RAMBOLD, & T. H. NASH III. 1991.
 On lichenicolous fungi from continental North America. *Mycotaxon* 42: 263–296.
- TUCKER, S. C. 1973.
 New records and comments on lichens of California. *The Bryologist* 76: 209–211.
- TUCKER, S. C. 1997.
 Notes on recent lichen collections and publications. *Bulletin of the California Lichen Society* 4: 27–28.
- TUCKER, S. C. 1999.
 Report on von Reis lichens from the herbarium of California Polytechnic University, San Luis Obispo. *Bulletin of the California Lichen Society* 6: 3–7.
- TUCKER, S. C. 2002 (2001).
 New reports or divergences in range for lichens of California, based on Lichens of North America by I. Brodo, S. D. Sharnoff, and S. Sharnoff, 2001. *Bulletin of the California Lichen Society* 8: 59–71.
- TUCKER, S. C., & C. BRATT. 1995.
 Collections made on the Kyburz field trip. *Bulletin of the California Lichen Society* 2(2): 12.
- TUCKER, S. C., & C. BRATT. 1996.
 Lichens collected at the Hastings Natural History Reservation, Monterey County, California during the CALS foray of January 20–21, 1996. *Bulletin of the California Lichen Society* 3(1): 8–9.
- TUCKER, S. C., & W. P. JORDAN. 1979 (1978).
 A catalog of California lichens. *Wasmann Journal of Biology* 36: 1–105.
- TUCKER, S. C., & D. T. KOWALSKI. 1975.
 New state records from northern California. *The Bryologist* 78: 366–368.

TUCKERMAN, E. 1847.

A synopsis of the lichenes of the northern United States and British America. Proceedings of the American Academy of Arts and Sciences 1: 195–285.

TUCKERMAN, E. 1858.

Supplement to an enumeration of North American Lichenes: part first, containing brief diagnoses of a new species. American Journal of Science and Arts, Series 2, 25: 422–430.

TUCKERMAN, E. 1859.

Supplement to an enumeration of North American lichens, continued. American Journal of Science and Arts, Series 2, 28: 200–206.

TUCKERMAN, E. 1860.

Observations on North American and some other lichens. No. 1. Proceedings of the American Academy of Arts and Sciences 4: 383–407.

TUCKERMAN, E. 1862.

Lichenes, in C. Wilkes, United States Exploring Expedition during the years 1838–1842, 17 (Botany): 113–152.

TUCKERMAN, E. 1864.

Observationes Lichenologicae. Observations on North American and other lichens. No. 3. Proceedings of the American Academy of Arts and Sciences 6: 263–287.

TUCKERMAN, E. 1866.

Lichens of California, Oregon, and the Rocky Mountains, so far as yet known. J. S. and C. Adams, Amherst. 35 pp.

TUCKERMAN, E. 1872.

Genera Lichenum. An arrangement of the North American lichens. Edwin Nelson, Amherst. 281 pp. + index.

TUCKERMAN, E. 1874.

Two lichens of Oregon. Bulletin of the Torrey Botanical Club 5: 20.

TUCKERMAN, E. 1877.

Observations on North American and other lichens. No. 4. Proceedings of the American Academy of Arts and Sciences 12: 166–185.

TUCKERMAN, E. 1882.

A synopsis of the North American Lichens. Pt. 1, Boston.

TUCKERMAN, E. 1883a.

New western lichens. Bulletin of the Torrey Botanical Club 10: 21–23.

TUCKERMAN, E. 1883b.

A new *Ramalina*. Bulletin of the Torrey Botanical Club 10: 43.

TUCKERMAN, E. 1884.

Two lichens of the Pacific coast. Bulletin of the Torrey Botanical Club 11: 25–26.

TUCKERMAN, E. 1888.

A synopsis of the North American Lichens, Pt. 2, comprising of the Lecidacei, and (in part) the Graphidacei. E. Anthony & Sons, Printers, New Bedford. 176 pp.

VAN DEN BOOM, P. P. G. 2004.

Toninia, pp. 708–709, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.

VAN DEN BOOM, P. P. G., & B. D. RYAN. 2004.

Lecania, pp. 143–171, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), Lichen flora of the Greater Sonoran Desert region, Vol. 2. Lichens Unlimited, Arizona State

- University, Tempe.
VELDKAMP, J. F. 2004.
Bilimbia (Lichenes) resurrected. *Lichenologist* 36: 191–195.
- VERSEGHY, K. 1962.
Die Gattung *Ochrolechia*. Beihefte zur Nova Hedwigia 1: 1–146.
- VEZDA, A. 1968.
Taxonomische Revision der Gattung *Thelopsis* Nyl. (Lichenisierte Fungi). *Folia Geobotanica & Phytotaxonomica* 3: 363–406.
- VEZDA, A. 1972.
Flechtensystematische Studien VII. *Gyalideopsis*, eine neue Flechtengattung. *Folia Geobotanica & Phytotaxonomica*, Praha, 7: 203–215.
- VEZDA, A. 1979.
Flechtensystematische Studien XI. Beiträge zur Kenntnis der Familie Asterothyriaceae (Discolichenes). *Folia Geobotanica & Phytotaxonomica* 14: 43–94.
- VITIKAINEN, O. 2004.
Peltigera, pp. 389–399, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region*, Vol. 2. Lichens Unlimited, Arizona State University, Tempe.
- VOLK, S. L. 1963.
Crustose lichen flora of Marin County, California. M. A. thesis, San Francisco State College, San Francisco.
- VON REIS, J. B. C. 1991.
Lichens of California Polytechnic University and San Luis Obispo County. M. A. thesis, California Polytechnic State University, San Luis Obispo.
- WEBER, W. A. 1962.
Environmental modification and the taxonomy of the crustose lichens. *Svensk Botanisk Tidskrift* 56: 293–333.
- WEBER, W. A. 1963.
Lichens of the Chiricahua Mountains, Arizona. *University of Colorado Studies, Series of Biology* 10: 1–27.
- WEBER, W. A. 1965a.
Lichenes Exsiccatae, Fascicle 3 (no. 81–120; from CA: 88. *Buellia oidalea*). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1965b.
The lichen flora of Colorado: 2. Pannariaceae. *University of Colorado Studies, Series of Biology* 16: 1–10.
- WEBER, W. A. 1966.
Lichenes Exsiccatae, Fascicle 4 (no. 121–160; from CA: 126. *Lecanora marginalis*; 127. *Lecidea wallrothii*; 129. *Nephromopsis californica*; 131. *Umbilicaria phaea*; 132. *Alectoria sarmentosa*). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1967a.
Lichenes Exsiccatae, Fascicle 5 (no. 161–200; from CA: 165. *Lecanora bolanderi*; 175. *Schizopelte californica*; 176. *Hubbsia parishii*, as “*Reinkella parishii*”; 177. *Dendrographa minor*; 178. *Aspicilia californica*, as “*Aspicilia* sp. ”; 179. *Cliostomum griffithii*, as “*Catillaria griffithii*”; 180. *Lecanora conizaeoides*; 181. *Lecanora cancriformis*; 182. *Bacidina californica*, as “*Bacidia albescens*”; 183. *Lecanora carpinea*; 184. *Diploicia canescens*; 185. *Ramalina homalea*; 186. *Ramalina farinacea*; 187. *Evernia prunastri*; 188. *Xanthoria polycarpa*; 189. *Rinodina radiata*; 192. *Arthonia impolita*;

193. *Caloplaca stanfordensis*; 194. *Lecanactis californica*; 195. *Roccellina franciscana*, as “*Schismatomma cupressum*”; 198. *Opegrapha brattiae* as “*Opegrapha saxicola*”; 199. *Rinodina archaea*) Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1967b.
A synopsis of the North American species of *Cyphelium*. The Bryologist 70: 197–203.
- WEBER, W. A. 1967c.
Environmental modifications in crustose lichens. II. Fruticose growth forms in *Aspicilia*. Aquilo. Ser. Botanica 6: 43–51.
- WEBER, W. A. 1968.
A taxonomic revision of *Acarospora*, subgenus *Xanthothallia*. Lichenologist 4: 16–31.
- WEBER, W. A. 1969.
Lichenes Exsiccatae, Fascicle 6 (no. 201–240; number 206, *Rinodina archaea*, is from California). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1970.
The names of two common California *Ramalina* species. Taxon 19: 253–254.
- WEBER, W. A. 1971.
Four new species of *Buellia* (Lichenes) from western North and South America. The Bryologist 74: 185–191.
- WEBER, W. A. 1971.
Lichenes Exsiccatae, Fascicle 8 (no. 281–320; from California: 293. *Hydrothyria venosa*). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1975a.
Lichenes Exsiccatae, Fascicle 10–11 (no. 361–440); Fascicle 12 (pars; no. 441–465); numbers from California: 417. *Alectoria lata*; 418. *Alectoria fremontii*; 427. *Staurothele clopima*; 455. *Lepraria xerophila*, as “*Siphula* (?) sp.”; 456. *Bactrospora spiralis*, as “*Lecanactis (Bactrospora)* sp.”; 462. *Lecanora mellea* (Type). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1975b.
Two new species of *Lecanora* section *Petrasterion* with a key to North American species. The Bryologist 78: 206–210.
- WEBER, W. A. 1976.
Lichenes Exsiccatae, Fascicle 12 (pars), 13 (no. 466–520); numbers from California: 473. *Pertusaria californica*; 474. *Rinodina marysvillensis*; 475. *Lecanora phryganitis*; 476. *Physcia duplicorticata* (Type); 477. *Arthonia impolita*; 478. *Lecidea dolodes*; 512. *Letharia vulpina*). Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1981.
Lichenes Exsiccatae distributed by the University of Colorado Museum, Boulder, Fascicles 1–15, Nos. 1–600, 1961–1979. Mycotaxon 13: 85–104.
- WEBER, W. A. 1984.
Lichenes Exsiccatae, Fascicle 16 (no. 601–640); numbers from California: 606. *Rhizoplaca glaucophana*; 610. *Peltula zahlbruckneri*. Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1986.
The lichen flora of the Galapagos Islands, Ecuador. Mycotaxon 27: 451–497.
- WEBER, W. A. 1989a.
Lichenes Exsiccatae, Fascicle 17, 18 (no. 641–700); numbers from California: 655. *Lecidella subincongrua* var. *elaeochromoides*. ; 656. *Caloplaca bolacina*; 657. *Caloplaca bolacina* ; 658. *Niebla ceruchoides* ; 659. *Caloplaca microphyllina*; 660. *Caloplaca brattiae*; 661. *Sclerophyton californicum*; 662. *Lecanographa dimelaenoides* (as “*Arthothelium?*”; 663. *Toninia pacifica* (Type); 664. *Psora*

- pacifica*; 665. *Rinodina californiensis*, as *Rinodina santamonicae*; 666. *Pertusaria pustulata*; 668. *Phaeophyscia cernohorskyi*; 669. *Tephromela nashii*, as *T. atra*; 670. *Pertusaria flavicunda*; 671. *Buellia capitis-regum*; 672. *Caloplaca stantonii*; 673. *Verrucaria glaucina*; 674. *Thelomma mammosum*; 675. *Lecania brunonis*, as “*Lecania dudleyi*”; 676. *Lecanora gangaleoides*; 677. *Verrucaria* cf. *canella*; 678. *Caloplaca luteominia*; 679. *Xanthoria candelaria*; 680. *Buellia halonia*; 681. *Caloplaca coralloides* as “*Polycauliona coralloides*”; 689. *Aspicilia* cf. *epiglypta*; 690. *Psorula scotopholis*; 691. *Trapeliopsis glaucopholis*, as *T. wallrothii*; 692. *Melanelia glabra*; 693. *Caloplaca saxicola*; 694. *Dimelaena oreina*; 695. *Caloplaca stanfordensis*; 696. *Lecidea* sp. Distributed by the University of Colorado, Boulder.
- WEBER, W. A. 1989b.
A new species of *Caloplaca* (Section *Gasparrinia*) from California with notes on some other American *Caloplaca*. *Graphis Scripta* 2(4): 168–170.
- WEBER, W. A., C. BRATT, & J. LARSON. 1987.
Lichens and bryophytes of the Santa Rosa Plateau Nature Conservancy Reserve, Riverside County, California. *Evansia* 4: 21–25.
- WEBER, W. A., & J. W. THOMSON. 1975.
Physcia duplicorticata Weber & Thomson sp. nov. from California. *Mycotaxon* 3: 102–104.
- WEBER, W. A., & R. C. WITTMAN. 1992.
Catalog of the Colorado flora: a biodiversity baseline. University Press of Colorado, Niwot. i-xi + 1–215 pp.
- WEST, R., & J. DOELL. 1995.
Marin County field trip. *Bulletin of the California Lichen Society* 2(1): 10–11.
- WESTBERG, M. 2004.
Candelariella, pp. 46–53, in T. H. Nash III, B. D. Ryan, P. Diederich, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 2*. Lichens Unlimited, Arizona State University, Tempe.
- WESTBERG, M., & T. H. NASH III. 2002.
Candelaria, pp. 116–118, in T. H. Nash III, B. D. Ryan, C. Gries, & F. Bungartz (eds.), *Lichen flora of the Greater Sonoran Desert region, Vol. 1*. Lichens Unlimited, Arizona State University, Tempe.
- WETMORE, C. M. 1960.
The lichen genus *Nephroma* in North and Middle America. *Michigan State University, Publications of the Museum, Biological Series*, 1(11): 369–452.
- WETMORE, C. M. 1970.
The lichen family Heppiaceae in North America. *Annals of the Missouri Botanical Garden* 57: 158–209.
- WETMORE, C. M. 1983.
Lichens of the Air Quality Class 1 National Parks. Final Report, (U. S.) National Park Service Contract CX 0001–2-0034.
- WETMORE, C. M. 1985.
Lichens and air quality in Sequoia National Park. Final Report, (U. S.) National Park Service Contract CX 0001–2-0034.
- WETMORE, C. M. 1987.
Lichens and air quality in Saguaro National Monument. Final Report, (U. S.) National Park Service Contract CX 0001–2-0034.
- WETMORE, C. M. 1994.
The lichen genus *Caloplaca* in North and Central America with brown or black apothecia. *Mycologia* 86: 813–838.

- WETMORE, C. M. 1996.
The *Caloplaca sideritis* group in North and Central America. *The Bryologist* 99: 292–314.
- WETMORE, C. M. 1999.
Four new species of *Caloplaca* from Mexico. *The Bryologist* 102: 99–103.
- WETMORE, C. M. 2001.
The *Caloplaca citrina* group in North and Central America. *The Bryologist* 104: 1–11.
- WETMORE, C. M. 2003.
The *Caloplaca squamosa* group in North and Central North America. *The Bryologist* 106: 147–156.
- WETMORE, C. M. 2005 (2004).
The sorediate corticolous species of *Caloplaca* in North and Central America. *The Bryologist* 107: 505–520.
- WETMORE, C. M., & E. I. KÄRNEFELT. 1998.
The lobate and subfruticose species of *Caloplaca* in north and central America. *The Bryologist* 101: 230–255.
- WETMORE, C. M., & E. I. KÄRNEFELT. 2000 (1999).
What is *Caloplaca cinnabarina*. *The Bryologist* 102: 683–691.
- WHEELER, L. C. 1938.
Lichens of Point Lobos Reserve. *The Bryologist* 41: 107–113.
- WILLEY, H. 1873a.
A list of North American lichens arranged according to Professor E. Tuckerman's "Genera Lichenum". New Bedford.
- WILLEY, H. 1873b.
Statistics and distribution of North American lichens. *Bulletin of the Buffalo Society of Natural Sciences* 1: 161–167.
- WILLEY, H. 1885.
New North American Arthoniae. *Bulletin of the Torrey Botanical Club* 12: 113–115.
- WILLEY, H. 1887.
An introduction to the study of lichens. New Bedford.
- WILLEY, H. 1890.
A synopsis of the genus *Arthonia*. New Bedford.
- WRIGHT, D. 1992.
Thamnotia in California. *The Bryologist* 95: 458–460.
- WRIGHT, D. 1996.
What happened to *Dendrographa minor*. *Bulletin of the California Lichen Society* 3(2): 11–13.
- WRIGHT, D. 1997.
Field trip to the Lake Pillsbury area, Lake County, California, April 19–20, 1997. *Bulletin of the California Lichen Society* 4: 28–32.
- WRIGHT, D. 1998.
Lichens from the "Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents within the range of the Northern Spotted Owl" known from the Point Reyes National Seashore, the Golden Gate National Recreation Area, and Mt. Tamalpais State Park with notes on other lichens from the Record of Decision. *Bulletin of the California Lichen Society* 5: 12–15.
- WRIGHT, D. 2000.
Guide to the macrolichens of California: part 1, the orange pigmented species. *Bulletin of the California Lichen Society* 7: 7–19.
- WRIGHT, D. 2001a (2000).

- Guide to the macrolichens of California: part 2, the gray foliose species. *Bulletin of the California Lichen Society* 7: 44–63.
- WRIGHT, D. 2001b.
Some species of the genus *Usnea* (lichenized Ascomycetes) in California. *Bulletin of the California Lichen Society* 8: 1–21.
- YOSHIMURA, I. 1968a.
Lichenological notes. 1. Some species of *Cladonia* with taxonomic problems. *Journal of the Hattori Botanical Laboratory* 31: 198–204.
- YOSHIMURA, I. 1968b.
The phytogeographical relationships between the Japanese and North American species of *Cladonia*. *Journal of the Hattori Botanical Laboratory* 31: 227–246.
- ZAHLBRUCKNER, A. 1900.
Beiträge zur Flechten-Flora Süd-Californiens. *Bulletin of the Torrey Botanical Club* 27: 642–647.
- ZAHLBRUCKNER, A. 1901.
Schedae ad “Kryptogamas exsiccatas” editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 16: 63–90.
- ZAHLBRUCKNER, A. 1902.
Diagnosen neuer und genügend beschriebener kalifornischer Flechten. *Beihefte zum Botanischen Zentralblatt* 13: 149–163.
- ZAHLBRUCKNER, A. 1903–1907.
Lichenes, in A. Engler & K. Prantl, eds. *Die Natürlichen Pflanzenfamilien*. 1(1): 1–249.
- ZAHLBRUCKNER, A. 1906.
Neue Flechten. III. *Annales Mycologici* 4: 486–490.
- ZAHLBRUCKNER, A. 1907.
Schedae ad “Kryptogamas exsiccatas” editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 22: 81–123.
- ZAHLBRUCKNER, A. 1908.
Neue Flechten. IV. *Annales Mycologici* 6: 129–134.
- ZAHLBRUCKNER, A. 1910.
Schedae ad “Kryptogamas exsiccatas” editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 24: 269–292.
- ZAHLBRUCKNER, A. 1911.
Schedae ad “Kryptogamas exsiccatas” editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 25: 223–252.
- ZAHLBRUCKNER, A. 1912a.
Schedae ad “Kryptogamas exsiccatas” editae a Museo Palatino Vindobonensi. *Annalen des Naturhistorischen Museums in Wien* 26: 155–247.
- ZAHLBRUCKNER, A. 1912b.
Neue Flechten. VI. *Annales Mycologici* 10: 359–384.
- ZAHLBRUCKNER, A. 1922.
Catalogus Lichenum Universalis, Vol. I. Leipzig, Berlin.
- ZAHLBRUCKNER, A. 1924.
Catalogus Lichenum Universalis, Vol. II. Leipzig, Berlin.
- ZAHLBRUCKNER, A. 1925.
Catalogus Lichenum Universalis, Vol. III. Leipzig, Berlin.
- ZAHLBRUCKNER, A. 1927.
Catalogus Lichenum Universalis, Vol. IV. Leipzig, Berlin.

ZAHLBRUCKNER, A. 1928.

Catalogus Lichenum Universalis, Vol. V. Leipzig, Berlin.

ZAHLBRUCKNER, A. 1930.

Catalogus Lichenum Universalis, Vol. VI. Leipzig, Berlin.

ZAHLBRUCKNER, A. 1931.

Catalogus Lichenum Universalis, Vol. VII. Leipzig, Berlin.

ZAHLBRUCKNER, A. 1934.

Catalogus Lichenum Universalis, Vol. IX. Leipzig, Berlin.

ZAVARZIN, A., & E. TIMDAL. 2004.

Notes on the occurrence of *Nephroma occultum* Wetm. in Alaska. *Evansia* 21(2): 101–102.